

QGIS Application - Feature request #11636

ogr2ogr to select disjoint features

2014-11-13 03:26 AM - Filipe Dias

Status:	Closed	
Priority:	Normal	
Assignee:	Giovanni Manghi	
Category:	Processing/OGR	
Pull Request or Patch supplied:	No	Resolution: fixed/implemented
Easy fix?:	No	Copied to github as #: 19889
Description ogr2ogr can be used to compare features from two vectors, as v.select from GRASS GIS does (http://grass.osgeo.org/grass65/manuals/v.select.html). It would be useful to have an ogr2ogr based tool that compares two vectors and selects/extracts disjoint features (e.g. features from vector A that are disjoining from vector B). I found some code here that can be useful for writing this tool: https://github.com/csterling/ogrTools/blob/master/disjoint.py		

History

#1 - 2017-01-10 11:34 PM - Giovanni Manghi

- Category set to Processing/OGR

#2 - 2017-05-01 12:47 AM - Giovanni Manghi

- Easy fix? set to No

#3 - 2019-03-11 02:20 PM - Giovanni Manghi

- Status changed from Open to Feedback

- Description updated

We have now good native tools to do the selection/extraction by location, unless an ogr based approach shows much better performances I would close this.

#4 - 2019-03-11 02:38 PM - Filipe Dias

- Resolution set to fixed/implemented

- Status changed from Feedback to Closed