

QGIS Application - Bug report #1032

QGIS crashes when I load a wrong symbol-style file

2008-04-11 03:51 AM - Horst Düster

Status: Closed	
Priority: Low	
Assignee: Tim Sutton	
Category: Symbology	
Affected QGIS version:	Regression?: No
Operating System: All	Easy fix?: No
Pull Request or Patch supplied:	Resolution: fixed
Crashes QGIS or corrupts data:	Copied to github as #: 11092
Description	
<p>When I try to load a symbol-style *.qml file which doesn't correspond with the relevant layer => QGIS crashes.</p> <p>I can reproduce the same behaviour when I create a symbol-style file based on a [[PostGIS]] layer.</p> <ol style="list-style-type: none">1. Load a [[PostGIS]] Layer and create a symbol-style *.qml2. Save this [[PostGIS]] layer as a shape-file.3. Load the created symbol-style file to the shape-file4. QGIS also crashes.	

History

#1 - 2008-06-23 03:49 PM - Tim Sutton

- Status changed from Open to In Progress

#2 - 2008-08-01 11:39 PM - Tim Sutton

Hi

When applying a qml from one layer to another layer the result will be undefined. That said QGIS should never crash, but rather gracefully warn you of the situation. I will look at how we can address this.

Tim

#3 - 2008-10-07 03:01 AM - Tim Sutton

- Resolution set to fixed

- Status changed from In Progress to Closed

Fixed with recent changes to SVN trunk.

#4 - 2009-08-22 12:57 AM - Anonymous

Milestone Version 1.0.0 deleted