QGIS Application - Bug report #10519
Browser: cannot load WMS, due to missing value in FORMAT parameter

2014-06-10 01:55 AM - luca76 -

Status:	Closed		
Priority:	Normal		
Assignee:			
Category:	Browser		
Affected QGIS version:	master	**Regression?:**	No
Operating System:		**Easy fix?:**	No
Pull Request or Patch supplied:	No	**Resolution:**	worksforme
Crashes QGIS or corrupts data:	No	**Copied to github as #:**	18929

Description

Hi, here's how to reproduce it in qgis master:

- Add this WMS server to browser: http://webapps.comune.trento.it/ogc
- Add any WMS layer
- See the error in message log. FORMAT value is empty.

If you add it with the normal menu Layer->Add WMS, it works perfectly.

History

#1 - 2014-06-10 02:42 AM - Jürgen Fischer

- Priority changed from Severe/Regression to Normal

- Status changed from Open to Feedback

The GetCapabilities response is apparently flawed (and invalid). It doesn't list the GetMap request and in turn there are no formats for GetMap.

```
$ xmlpatternsvalidator-qt4 "http://webapps.comune.trento.it/ogc?SERVICE=WMS&REQUEST=GetCapabilities"
Error XSDError in http://webapps.comune.trento.it/ogc?SERVICE=WMS&REQUEST=GetCapabilities, at line 31, column 126: Element {http://www.opengis.net/wms}Request is missing child element.
```

#2 - 2014-06-10 06:32 AM - luca76 -

- Resolution set to worksforme

- Status changed from Feedback to Closed

Thank you for your good response.

We discovered that in our mapserver mapfile, the wms_enable_request in the WEB section was absent.

Closing as WORKSFORME.