

## QGIS Application - Bug report #1052

### Uninitialized field variables in QgsPostgresProvider in trunk r8383

2008-04-29 12:12 AM - shader -

<b>Status:</b> Closed	
<b>Priority:</b> Low	
<b>Assignee:</b> nobody -	
<b>Category:</b> Data Provider	
<b>Affected QGIS version:</b>	<b>Regression?:</b> No
<b>Operating System:</b> All	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b> fixed
<b>Crashes QGIS or corrupts data:</b>	<b>Copied to github as #:</b> 11112
<b>Description</b>	
<p>[[QgsPostgresProvider]] has bug in uninitialized variables like useWkbHex and others that must be initialized in [[QgsPostgresProvider]]::postgisVersion. But if we have 2 and more layers from same [[PostgreSQL]] database then 1st layer has properly initialized, but 2nd and others hasn't. Function postgisVersion not executed for that layers. It may be fixed by simple patch (attached)</p>	

#### Associated revisions

---

##### Revision d0c0676b - 2008-04-30 09:04 PM - Jürgen Fischer

fix #1052

git-svn-id: <http://svn.osgeo.org/qgis/trunk/qgis@8389> c8812cc2-4d05-0410-92ff-de0c093fc19c

##### Revision 518a97b8 - 2008-04-30 09:04 PM - Jürgen Fischer

fix #1052

git-svn-id: <http://svn.osgeo.org/qgis/trunk@8389> c8812cc2-4d05-0410-92ff-de0c093fc19c

#### History

---

##### #1 - 2008-04-30 12:05 PM - Jürgen Fischer

- Resolution set to fixed

- Status changed from Open to Closed

fixed in commit:518a97b8 (SVN r8390)

#### Files

---

qgis-0.10-alt-fix-postgres-provider.diff	469 Bytes	2008-04-28	shader -
--	-----------	------------	----------