

QGIS Application - Bug report #10521
order of reading svg paths

2014-06-10 03:59 AM - matteo ghetta

Status:	Closed	
Priority:	Low	
Assignee:		
Category:	Symbology	
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: fixed/implemented
Crashes QGIS or corrupts data:	No	Copied to github as #: 18931
Description		
When adding external SVG symbols in "SVG paths" in general options, if different paths have different SVG files/symbols that have the same file name then the SVG in the first listed path is always used.		

History

#1 - 2014-06-10 04:01 AM - Giovanni Manghi

- Affected QGIS version changed from 2.2.0 to master

#2 - 2014-06-10 04:23 AM - aperi2007 -

Hi,
I add also that always the default path of svg of qgis is used firstly.

This is a no good choose because
If I add another path to reach my svg if they has the same name of an svg in default path.
My svg file never will be used.

I figure qgis now is using this approach:

- n. 1) /--default-path svg of qgis/
- n. 2) first path added from an user
- n. 3) second path added from an user.

QGIS start searching on N.1 .If not found go to N. 2 , if not found go to N. 3.

Instead more affordable is to use a list inverse.
So

Start to test non n. 3) if not found pass to test on N. 2 if not found pass to test on N.1 (the default-path)

This is more feasible and more easy to manage for an user.

Regards,

Andrea.

#3 - 2017-05-01 01:08 AM - Giovanni Manghi

- Easy fix? set to No

- *Regression? set to No*

#4 - 2018-02-24 03:24 PM - matteo ghetta

- *Status changed from Open to Closed*

#5 - 2018-02-24 03:53 PM - Giovanni Manghi

- *Resolution set to fixed/implemented*