

QGIS Application - Bug report #11194

QGIS 2.4 crashes when adding >1 column in a PostGIS table

2014-09-12 03:07 AM - Giovanni Manghi

Status:	Closed	
Priority:	Severe/Regression	
Assignee:		
Category:	Vectors	
Affected QGIS version:	2.4.0	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	Yes	Copied to github as #: 19505
Description		
<p>Should be a regression.</p> <p>Steps:</p> <ul style="list-style-type: none">- open a postgis table- toggle editing- open field calculator- create a new field (tested "text" type) and use some expression (or just text) to fill it- repeat the above step, to add another field- try save, QGIS will return a error (issue #1)- then discard edits -> crash (issue #2) <p>Terminal message:</p> <pre>giovanni@sibirica:~ > qgis Warning: loading of qt translation failed [/usr/share/qt4/translations/qt_en_US] Warning: Bus::open: Can not get ibus-daemon's address. IBusInputContext::createInputContext: no connection to ibus-daemon Warning: QGraphicsScene::addItem: item has already been added to this scene Fatal: ASSERT: "mChangedAttributeValues.isEmpty()" in file /build/buildd/qgis-2.4.0/src/core/qgsvectorlayereditbuffer.cpp, line 530 QGIS died on signal -1Could not attach to process. If your uid matches the uid of the target process, check the setting of /proc/sys/kernel/yama/ptrace_scope, or try again as the root user. For more details, see /etc/sysctl.d/10-ptrace.conf ptrace: Operation not permitted. No thread selected No stack. gdb returned 0 Aborted</pre>		

Associated revisions

Revision 35936084 - 2014-09-22 08:47 AM - Matthias Kuhn

Restore buttonbox visibility after attribute form reload

Followup febe37de

Fix #11229

Fix #11194

History

#1 - 2014-09-15 09:08 AM - Pedro Venâncio

Hi

Something similar is happening to me, with shapefiles. The steps to reproduce:

1. Load or create a shapefile;
2. Open the attributes table and add a new attribute with "New column - Provider field" or "Field calculator";
3. QGIS crashes:

```
Program received signal SIGSEGV, Segmentation fault.
0x03a2a2af in QDialogButtonBox::button(QDialogButtonBox::StandardButton) const
    () from /usr/lib/i386-linux-gnu/libQtGui.so.4
(gdb) continue
Continuing.
QGIS died on signal 11[Thread 0xae46bb40 (LWP 4661) exited]
[Thread 0xa7766b40 (LWP 4670) exited]
[Thread 0xa984eb40 (LWP 4668) exited]
[Thread 0xa8effb40 (LWP 4669) exited]
Could not attach to process. If your uid matches the uid of the target
process, check the setting of /proc/sys/kernel/yama/ptrace_scope, or try
again as the root user. For more details, see /etc/sysctl.d/10-ptrace.conf
ptrace: Operação não permitida.
No thread selected
No stack.
gdb returned 0
```

```
Program received signal SIGABRT, Aborted.
0x00132416 in __kernel_vsyscall ()
(gdb) continue
Continuing.
[Thread 0xaf729b40 (LWP 4655) exited]
[Thread 0xb4b78b40 (LWP 4648) exited]
[Thread 0xb5479b40 (LWP 4647) exited]
```

```
Program terminated with signal SIGABRT, Aborted.
The program no longer exists.
```

I'm with QGIS 2.5.0-Master (nightly build 2.5.0+git20140913+b44ef92~precise-ubuntugis1) on Xubuntu 12.04 32bits.

#2 - 2014-09-21 11:51 PM - Matthias Kuhn

- Status changed from Open to Closed

Fixed in changeset commit:"35936084ff9c6ff912611bab471a3ddf20aa906b".