

# QGIS Application - Bug report #11210

## layer.listStylesInDatabase in pyqgis

2014-09-15 11:47 PM - gillian milani

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Python plugins	
<b>Affected QGIS version:</b> master	<b>Regression?:</b> No
<b>Operating System:</b> ubuntu	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b> No	<b>Resolution:</b>
<b>Crashes QGIS or corrupts data:</b> No	<b>Copied to github as #:</b> 19520
<b>Description</b>	
The function layer.listStylesInDatabase returns empty string lists in pyqgis. I have my style in database (checked), i can load it (checked) and listStylesInDatabase return non zero integer (my style exists in database).	

### Associated revisions

#### Revision fe2503da - 2016-01-20 01:36 PM - Alexander Bruy

fix SIP bindings for listStylesInDatabase() method (fix #11210)

#### Revision b5ee06dc - 2016-01-25 05:39 PM - Matthias Kuhn

Merge pull request #2702 from alexbruy/styles-bindings

fix SIP bindings for listStylesInDatabase() method (fix #11210)

### History

#### #1 - 2016-01-25 08:40 AM - Anonymous

- Status changed from Open to Closed

Fixed in changeset commit:"b5ee06dc28ab015ca1907f8219283b11bec1f646".