

# QGIS Application - Bug report #11304

## The ComposerMap's tooltip is not updated after readXML

2014-10-01 07:50 AM - René-Luc ReLuc

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> Nyal Dawson	
<b>Category:</b> Map Composer/Printing	
<b>Affected QGIS version:</b> master	<b>Regression?:</b> No
<b>Operating System:</b>	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b> Yes	<b>Resolution:</b> fixed/implemented
<b>Crashes QGIS or corrupts data:</b> No	<b>Copied to github as #:</b> 19600

### Description

The ComposerMap's tooltip is only set in the private init method. This method is only used in the ComposerMap constructor. The result is that the tooltip is not updated after reading the id from the XML.

The solution could be to add a private method updateToolTip used when the id is changed :

- constructor
- assignFreeId
- readXML

### History

#### #1 - 2014-10-01 07:54 AM - René-Luc ReLuc

- Pull Request or Patch supplied changed from No to Yes

Pull request 1602 <https://github.com/qgis/QGIS/pull/1602>

#### #2 - 2014-10-09 03:51 AM - Nyal Dawson

- Resolution set to fixed/implemented

- Status changed from Open to Closed

Merged - thank you!