

QGIS Application - Bug report #1153  
crash in map composer

2008-07-13 03:51 AM - Maciej Sieczka -

<b>Status:</b>	Closed	
<b>Priority:</b>	Low	
<b>Assignee:</b>	nobody -	
<b>Category:</b>		
<b>Affected QGIS version:</b>		<b>Regression?:</b> No
<b>Operating System:</b> Debian		<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>		<b>Resolution:</b> fixed
<b>Crashes QGIS or corrupts data:</b>		<b>Copied to github as #:</b> 11213

Description

QGIS crashes in map composer.

1. open the attached project (you will need to modify the path to the shapefile used; it's attached too)
2. press "Print" button
3. crash:

Debug: /home/shoofi/src/straight/qgis-trunk/src/providers/ogr/qgsogrprovider.cpp: 335: (getNextFeature) Feature is null  
Debug: /home/shoofi/src/straight/qgis-trunk/src/core/qgsmaprender.cpp: 366: (render) Done rendering map layers  
Debug: /home/shoofi/src/straight/qgis-trunk/src/core/qgsvectorlayer.cpp: 295: (drawLabels) Starting draw of labels  
Debug: /home/shoofi/src/straight/qgis-trunk/src/core/qgsmaprender.cpp: 422: (render) Rendering done in (seconds): 0.057  
scale = 1

Program received signal SIGSEGV, Segmentation fault.  
[Switching to Thread 0x2b0b450aec80 (LWP 17362)]  
0x00002b0b39a0d423 in QPainter::isActive (this=0x10f3af0) at painting/qpainter.cpp:1426  
1426 painting/qpainter.cpp: No such file or directory.  
in painting/qpainter.cpp  
(gdb) bt  
#0 0x00002b0b39a0d423 in QPainter::isActive (this=0x10f3af0) at painting/qpainter.cpp:1426  
#3905 0x00002b0b39a0fe89 in QPainter::clipPath (this=0x10f3af0) at painting/qpainter.cpp:2254  
#3906 0x00002b0b39aac5fb in QX11PaintEngine::updateState (this=0x11327e0, state=@0x10e7070) at painting/qpaintengine\_x11.cpp:990  
#3907 0x00002b0b39a12c5a in QPainterPrivate::updateStateImpl (this=0xfc11b0, newState=0x10e7070) at painting/qpainter.cpp:884  
#3908 0x00002b0b39a12d3b in QPainterPrivate::updateState (this=0xfc11b0, newState=0x10e7070) at painting/qpainter.cpp:912  
#3909 0x00002b0b39a1316c in QPainter::restore (this=<value optimized out>) at painting/qpainter.cpp:1546  
#3910 0x00002b0b39e494d8 in QGraphicsScene::drawItems (this=<value optimized out>, painter=0x7fff719aba30, numItems=4, items=0x10f3a20, options=<value optimized out>, widget=0xa080a0) at graphicsview/qgraphicsscene.cpp:4029  
#3911 0x00002b0b39e684db in QGraphicsView::paintEvent (this=0xa08260, event=<value optimized out>) at graphicsview/qgraphicsview.cpp:3058  
#3912 0x00002b0b3996d198 in QWidget::event (this=0x10f3af0, event=0x7fff719ac130) at kernel/qwidget.cpp:7065  
#3913 0x00002b0b39e62c5b in QGraphicsView::viewportEvent (this=0xa08260, event=0x7fff719ac130) at graphicsview/qgraphicsview.cpp:2267  
#10 0x00002b0b39469768 in QCoreApplicationPrivate::sendThroughObjectEventFilters (this=<value optimized out>, receiver=0xa080a0, event=0x7fff719ac130)

```

at kernel/qcoreapplication.cpp:694
#3914 0x00002b0b3991ae2c in QApplicationPrivate::notify_helper (this=0x96eda0, receiver=0xa080a0, e=0x7fff719ac130) at
kernel/qapplication.cpp:3768
#3915 0x00002b0b39922b2a in QApplication::notify (this=0x7fff719ae8f0, receiver=0xa080a0, e=0x7fff719ac130) at
kernel/qapplication.cpp:3739
#3916 0x00002b0b3946a491 in QApplication::notifyInternal (this=0x7fff719ae8f0, receiver=0xa080a0,
event=0x7fff719ac130) at kernel/qcoreapplication.cpp:587
#3917 0x00002b0b3996bbcf in QWidgetPrivate::drawWidget (this=0xa649c0, pdev=0xa2f2c8, rgn=@0x7fff719ac390,
offset=@0x7fff719ac380, flags=4, sharedPainter=0x10f3af0)
    at kernel/qwidget.cpp:4491
#3918 0x00002b0b3996c2b5 in QWidgetPrivate::paintSiblingsRecursive (this=0xabf8d0, pdev=0xa2f2c8,
siblings=@0x7fff719ac560, index=0, rgn=@0x7fff719ac6d0, offset=@0x7fff719ac6c0,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4589
#3919 0x00002b0b3996b888 in QWidgetPrivate::drawWidget (this=0xabf8d0, pdev=0xa2f2c8, rgn=@0x7fff719ac6d0,
offset=@0x7fff719ac6c0, flags=4, sharedPainter=0x10f3af0)
    at kernel/qwidget.cpp:4532
#3920 0x00002b0b3996c2b5 in QWidgetPrivate::paintSiblingsRecursive (this=0xa35750, pdev=0xa2f2c8,
siblings=@0x7fff719ac8a0, index=0, rgn=@0x7fff719aca10, offset=@0x7fff719aca00,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4589
#3921 0x00002b0b3996b888 in QWidgetPrivate::drawWidget (this=0xa35750, pdev=0xa2f2c8, rgn=@0x7fff719aca10,
offset=@0x7fff719aca00, flags=4, sharedPainter=0x10f3af0)
    at kernel/qwidget.cpp:4532
#3922 0x00002b0b3996c2b5 in QWidgetPrivate::paintSiblingsRecursive (this=0xa32420, pdev=0xa2f2c8,
siblings=@0x7fff719acda0, index=0, rgn=@0x7fff719acaf0, offset=@0x7fff719acf00,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4589
#3923 0x00002b0b3996c1da in QWidgetPrivate::paintSiblingsRecursive (this=0xa32420, pdev=0xa2f2c8,
siblings=@0x7fff719acda0, index=2, rgn=@0x7fff719acbd0, offset=@0x7fff719acf00,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4579
#3924 0x00002b0b3996c1da in QWidgetPrivate::paintSiblingsRecursive (this=0xa32420, pdev=0xa2f2c8,
siblings=@0x7fff719acda0, index=3, rgn=@0x7fff719acf10, offset=@0x7fff719acf00,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4579
#3925 0x00002b0b3996b888 in QWidgetPrivate::drawWidget (this=0xa32420, pdev=0xa2f2c8, rgn=@0x7fff719acf10,
offset=@0x7fff719acf00, flags=4, sharedPainter=0x10f3af0)
    at kernel/qwidget.cpp:4532
#3926 0x00002b0b3996c2b5 in QWidgetPrivate::paintSiblingsRecursive (this=0xb15660, pdev=0xa2f2c8,
siblings=@0x7fff719ad2a0, index=1, rgn=@0x7fff719acff0, offset=@0x7fff719ad400,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4589
#3927 0x00002b0b3996c1da in QWidgetPrivate::paintSiblingsRecursive (this=0xb15660, pdev=0xa2f2c8,
siblings=@0x7fff719ad2a0, index=2, rgn=@0x7fff719ad0d0, offset=@0x7fff719ad400,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4579
#3928 0x00002b0b3996c1da in QWidgetPrivate::paintSiblingsRecursive (this=0xb15660, pdev=0xa2f2c8,
siblings=@0x7fff719ad2a0, index=3, rgn=@0x7fff719ad410, offset=@0x7fff719ad400,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4579
#3929 0x00002b0b3996b888 in QWidgetPrivate::drawWidget (this=0xb15660, pdev=0xa2f2c8, rgn=@0x7fff719ad410,
offset=@0x7fff719ad400, flags=4, sharedPainter=0x10f3af0)
    at kernel/qwidget.cpp:4532
#3930 0x00002b0b3996c2b5 in QWidgetPrivate::paintSiblingsRecursive (this=0xa43b10, pdev=0xa2f2c8,
siblings=@0x7fff719ad7a0, index=17, rgn=@0x7fff719ad4f0, offset=@0xa9c0a8,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4589
#3931 0x00002b0b3996c1da in QWidgetPrivate::paintSiblingsRecursive (this=0xa43b10, pdev=0xa2f2c8,
siblings=@0x7fff719ad7a0, index=18, rgn=@0x7fff719ad5d0, offset=@0xa9c0a8,
---Type <return> to continue, or q <return> to quit---
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4579

```

```
#3932 0x00002b0b3996c1da in QWidgetPrivate::paintSiblingsRecursive (this=0xa43b10, pdev=0xa2f2c8,
siblings=@0x7fff719ad7a0, index=19, rgn=@0x7fff719ad990, offset=@0xa9c0a8,
    flags=4, sharedPainter=0x10f3af0) at kernel/qwidget.cpp:4579
#3933 0x00002b0b3996b888 in QWidgetPrivate::drawWidget (this=0xa43b10, pdev=0xa2f2c8, rgn=@0x7fff719ad990,
offset=@0xa9c0a8, flags=4, sharedPainter=0x10f3af0)
    at kernel/qwidget.cpp:4532
#3934 0x00002b0b39abf8c9 in QWidgetBackingStore::cleanRegion (this=0xa9c090, rgn=<value optimized out>,
widget=0xa5f500, recursiveCopyToScreen=true)
    at painting/qbackingstore.cpp:1035
#3935 0x00002b0b39ac0529 in qt_syncBackingStore (rgn=<value optimized out>, widget=0xa5f500) at
painting/qbackingstore.cpp:245
#3936 0x00002b0b399781e2 in QETWidget::translatePaintEvent (this=0xa5f500, event=<value optimized out>) at
kernel/qapplication_x11.cpp:4720
#3937 0x00002b0b399850e5 in QApplication::x11ProcessEvent (this=0x7fff719ae8f0, event=0x7fff719ae2e0) at
kernel/qapplication_x11.cpp:3155
#3938 0x00002b0b399ac9cc in x11EventSourceDispatch (s=0x97c070, callback=0, user_data=0x0) at
kernel/qguieventdispatcher_glib.cpp:148
#36 0x00002b0b3d95d0f2 in g_main_context_dispatch () from /usr/lib/libglib-2.0.so.0
#37 0x00002b0b3d960396 in ?? () from /usr/lib/libglib-2.0.so.0
#38 0x00002b0b3d96082f in g_main_context_iteration () from /usr/lib/libglib-2.0.so.0
#39 0x00002b0b394928bf in QEventDispatcherGlib::processEvents (this=0x978a20, flags=<value optimized out>) at
kernel/qeventdispatcher_glib.cpp:325
#40 0x00002b0b399ac16f in QGuiEventDispatcherGlib::processEvents (this=0x10f3af0, flags=<value optimized out>) at
kernel/qguieventdispatcher_glib.cpp:204
#41 0x00002b0b39468da2 in QEventLoop::processEvents (this=<value optimized out>, flags={i = 1905976752}) at
kernel/qeventloop.cpp:149
#42 0x00002b0b39468f2d in QEventLoop::exec (this=0x7fff719ae5f0, flags={i = 1905976832}) at kernel/qeventloop.cpp:200
#43 0x00002b0b3946b3fd in QApplication::exec () at kernel/qcoreapplication.cpp:845
#44 0x00000000004bc774 in main (argc=1, argv=0x7fff719aeeb8) at /home/shoofi/src/straight/qgis-trunk/src/app/main.cpp:685
```

History

#1 - 2008-08-25 11:52 PM - Marco Hugentobler

- Resolution set to fixed
- Status changed from Open to Closed

Hi Maciej

Opening this project and composer seems to work now. Please reopen this bug if the problem still exists.

Marco

#2 - 2009-08-22 12:57 AM - Anonymous

Milestone Version 1.0.0 deleted

Files

check.qgs	7.79 KB	2008-07-13	Maciej Sieczka -
-----------	---------	------------	------------------