

QGIS Application - Bug report #11609

Graduated styling of vector layer neglects fields from joined tables

2014-11-10 08:51 AM - Peter Tarne

Status: Closed	
Priority: Normal	
Assignee:	
Category: Symbology	
Affected QGIS version: 2.6.0	Regression?: No
Operating System: Mac	Easy fix?: No
Pull Request or Patch supplied: No	Resolution: invalid
Crashes QGIS or corrupts data: No	Copied to github as #: 19865

Description

I have joined a vector layer with CSV table values. The attribute table of the joined layer shows all fields as expected. However, when I try to apply graduated styling QGIS only offers the attribute fields of the 'original' vector layer before joining attributes as basis for styling.

History

#1 - 2014-11-10 08:57 AM - Peter Tarne

- File *Attributes_for_graduated_styling.png* added
- File *attribute_table.png* added

Hm, my SHP-file was too large for upload... so I attach screenshots...

#2 - 2014-11-10 10:28 AM - Giovanni Manghi

- Resolution set to *invalid*
- Status changed from *Open* to *Closed*

this is because csv columns are always treated as text (that cannot be used by the graduated renderer), unless otherwise specified by using a csvt file.

<http://anitagraser.com/2011/03/07/how-to-specify-data-types-of-csv-columns-for-use-in-qgis/>

cheers!

Files

test.dbf	513 KB	2014-11-10	Peter Tarne
attribute_table.png	283 KB	2014-11-10	Peter Tarne
Attributes_for_graduated_styling.png	113 KB	2014-11-10	Peter Tarne