QGIS Application - Bug report #11640
Custom fields do not load from style

2014-11-13 02:27 PM - C S

Status:	Closed		
Priority:	Normal		
Assignee:			
Category:	Project Loading/Saving		
Affected QGIS version:	2.6.0	**Regression?:**	No
Operating System:	Windows	**Easy fix?:**	No
Pull Request or Patch supplied:	No	**Resolution:**	end of life
Crashes QGIS or corrupts data:	No	**Copied to github as #:**	19893

Description

A QGIS style (QML) I have been working with suddenly started malfunctioning.
Previously, the style would load both the custom appearance (color, pattern, etc.) and the custom fields I had created (drop-downs, mostly).
Now, it only loads the appearance.
If I create a new field and load the style, the new field is not overwritten by the style fields as it previously was.

I tried this again with a newly created style QML and a newly created SLD to see if it was just an issue with my custom style, but the same issue occurs with newly created styles.

Also did not work in 2.2.

History

#1 - 2014-11-13 02:45 PM - C S

- File test20141113.qml added

I attached the test style I was working with. It looks like the custom fields *save* to style but will not load.

```
[...]
 <edittypes>
  <edittype labelontop="0" editable="1" type="0" name="id"/>
  <edittype labelontop="1" editable="1" type="3" name="place">
   <valuepair key="Place A" value="Place A"/>
   <valuepair key="Place B" value="Place B"/>
   <valuepair key="Place C" value="Place C"/>
  </edittype>
 </edittypes>
[...]
```

#2 - 2015-06-04 01:02 AM - Jürgen Fischer

- Category set to Project Loading/Saving

#3 - 2017-05-01 01:07 AM - Giovanni Manghi

- Easy fix? set to No

- Regression? set to No

#4 - 2019-03-09 03:12 PM - Giovanni Manghi

- Resolution set to end of life

- Status changed from Open to Closed

End of life notice: QGIS 2.18 LTR

Source:

http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/

Files

test20141113.qml	8.99 KB	2014-11-13	C S