

## QGIS Application - Bug report #1305

### QgsVectorDataProvider.uniqueValues always returns empty list

2008-09-10 05:24 AM - cfarmer -

<b>Status:</b> Closed	
<b>Priority:</b> Low	
<b>Assignee:</b> nobody -	
<b>Category:</b> Python plugins	
<b>Affected QGIS version:</b>	<b>Regression?:</b> No
<b>Operating System:</b> Linux	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b> fixed
<b>Crashes QGIS or corrupts data:</b>	<b>Copied to github as #:</b> 11365
<b>Description</b>	
No matter what data is used, uniqueValues always returns an empty list. This has been tested on a number of datasets (shapefiles).	

## History

### #1 - 2008-09-10 09:28 AM - Jürgen Fischer

seems to only apply to the python binding

### #2 - 2008-11-21 02:57 PM - Martin Dobias

- Resolution set to fixed

- Status changed from Open to Closed

Fixed in commit:48724e05 (SVN r9684). Now this works fine:

```
lst = provider.uniqueValues(3)
```

### #3 - 2009-08-22 12:57 AM - Anonymous

Milestone Version 1.0.0 deleted