

QGIS Application - Feature request #1368

v.in.ogr and r.in.gdal layer selection works differently

2008-10-20 12:37 AM - Brendon Wolff-Piggott -

Status: Closed	
Priority: Low	
Assignee: Lorenzo Masini	
Category: GRASS	
Pull Request or Patch supplied:	Resolution: fixed
Easy fix?: No	Copied to github as #: 11428
Description	
<p>Using QGIS 0.11 on Windows XP. I have started working with GRASS, and have been importing vector and raster datasets to GRASS format using v.in.ogr and r.in.gdal.</p> <p>r.in.gdal allows the user to search the filesystem for the file to import.</p> <p>v.in.ogr requires that the vector layer to be imported is already loaded and displayed in QGIS.</p> <p>More consistency between the file selection options would really help. I think that the r.in.gdal approach is more useful and generic.</p>	

History

#1 - 2009-03-17 08:13 AM - Paolo Cavallini

- Resolution set to fixed
- Status changed from Open to Closed

Fixed in #10282

#2 - 2009-08-12 12:20 AM - Paolo Cavallini

- Resolution deleted (fixed)
- Status changed from Closed to Feedback

#3 - 2009-08-12 12:21 AM - Paolo Cavallini

- Status changed from Feedback to Open

#4 - 2009-08-12 12:21 AM - Paolo Cavallini

- Resolution set to fixed
- Status changed from Open to Closed

#5 - 2009-08-22 01:02 AM - Anonymous

Milestone Version 1.0.2 deleted