QGIS Application - Bug report #13690 Actions launched from table of attributes ignoring/discarding fields

2015-10-28 03:00 AM - Lukasz Sychowicz

Status:	Closed			
Priority:	Normal			
Assignee:				
Category:	Vectors			
Affected QGIS version:master		Regression?:	No	
Operating System:		Easy fix?:	No	
Pull Request or Patch supplied:		Resolution:		
Crashes QGIS or corru pts data:		Copied to github a	Copied to github as #: 21720	
Description				
New description:				
create and action	and add to it a field variable like			
[% "column_nam	e" %]			
if the actions is la	unched from the toolbar is ok, if	launched from the table of attributes the	variable is ignored/not used.	
Old description:				
Actions contain S	QL expression run from the tabl	e view does'nt work correctly - (expressi	on are ignored)	
the same actions	run from map view work fine.			

History

#1 - 2015-11-07 01:31 AM - Giovanni Manghi

- OS version deleted (XP)

- Operating System deleted (Windows)

Could you please add here an example of the actions

#2 - 2015-11-08 10:03 AM - Lukasz Sychowicz

I created a video:

https://www.youtube.com/watch?v=ycyeLtWwtfw

#3 - 2015-11-10 02:49 AM - Giovanni Manghi

- Subject changed from qgis 2.12 - Actions contain sql expression - run from table view to Actions launched from table of attributes ignoring/discarding fields

- Category changed from Attribute table to Vectors

#4 - 2016-05-23 04:01 AM - Lukasz Sychowicz

- % Done changed from 0 to 100

- Status changed from Open to Closed

fixed in version 2.14.3