

## QGIS Application - Bug report #13690

### Actions launched from table of attributes ignoring/discarding fields

2015-10-28 03:00 AM - Lukasz Sychowicz

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Vectors	
<b>Affected QGIS version:</b> master	<b>Regression?:</b> No
<b>Operating System:</b>	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b>
<b>Crashes QGIS or corrupts data:</b>	<b>Copied to github as #:</b> 21720
<b>Description</b>	
New description:	
create and action and add to it a field variable like	
[% "column_name" %]	
if the actions is launched from the toolbar is ok, if launched from the table of attributes the variable is ignored/not used.	
Old description:	
Actions contain SQL expression run from the table view does'nt work correctly - (expression are ignored) the same actions run from map view work fine.	

#### History

##### #1 - 2015-11-07 01:31 AM - Giovanni Manghi

- OS version deleted (XP)
- Operating System deleted (Windows)

Could you please add here an example of the actions

##### #2 - 2015-11-08 10:03 AM - Lukasz Sychowicz

I created a video:

<https://www.youtube.com/watch?v=yceLftWwtfw>

##### #3 - 2015-11-10 02:49 AM - Giovanni Manghi

- Subject changed from qgis 2.12 - Actions contain sql expression - run from table view to Actions launched from table of attributes ignoring/discarding fields
- Category changed from Attribute table to Vectors

##### #4 - 2016-05-23 04:01 AM - Lukasz Sychowicz

- % Done changed from 0 to 100
- Status changed from Open to Closed

fixed in version 2.14.3