

QGIS Application - Bug report #14783

Default values ignored by data defined override before saving layer edits

2016-05-06 01:57 PM - R. R.

<b>Status:</b>	Closed	
<b>Priority:</b>	High	
<b>Assignee:</b>		
<b>Category:</b>	Unknown	
<b>Affected QGIS version:</b>	2.14.2	<b>Regression?:</b> No
<b>Operating System:</b>		<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	No	<b>Resolution:</b>
<b>Crashes QGIS or corrupts data:</b>	No	<b>Copied to github as #:</b> 22740
<b>Description</b>		
Before layer edits are saved, QGIS ignores default values for data defined override.		
Related issue: #14775		

History

#1 - 2016-05-09 04:49 AM - Matthias Kuhn

- Status changed from Open to Feedback

Can you try if this also happens when "auto transaction groups" is enabled?

It's in options > datasources on 2.14 and in the project settings in 2.16.

#2 - 2016-05-09 10:48 AM - R. R.

- Status changed from Feedback to Closed

Thanks, this has solved the issue.

#3 - 2017-09-22 10:05 AM - Jürgen Fischer

- Category set to Unknown

Files

14783.mp4	2.22 MB	2016-05-06	R. R.
-----------	---------	------------	-------