

## QGIS Application - Bug report #1524

### fTools resultant shape doesn't overwrite existing shape

2009-02-03 03:41 AM - Horst Düster

<b>Status:</b> Closed	
<b>Priority:</b> Low	
<b>Assignee:</b> cfarmer -	
<b>Category:</b> C++ Plugins	
<b>Affected QGIS version:</b>	<b>Regression?:</b> No
<b>Operating System:</b> Debian	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b> fixed
<b>Crashes QGIS or corrupts data:</b>	<b>Copied to github as #:</b> 11584
<b>Description</b>	
<p>During the definition of a geoprocessing analysis you will be asked for a resultant shape file name. When you define an existing shape file name the system asks whether you want to overwrite the existing shape. After clicking OK the analysis seems to work but when you load the resultant shape to legend, the origin shape content appears.</p>	

#### History

##### #1 - 2009-02-03 05:14 PM - cfarmer -

- Resolution set to fixed

- Status changed from Open to Closed

Fixed in revision 10102.

Should also be available from the repositories as of fTools version 0.5.5

-carson

##### #2 - 2009-08-22 01:01 AM - Anonymous

Milestone Version 1.0.1 deleted