

QGIS Application - Feature request #15843

complex kml saving

2016-11-14 12:16 AM - Rémi Barthoumieux

|  |              |   |
|--|--------------|---|
| <b>Status:</b>   | Open         | <b>Resolution:</b><br><b>Copied to github as #:</b> 23761 |
| <b>Priority:</b>   | Normal       |   |
| <b>Assignee:</b>   |              |   |
| <b>Category:</b>   | Unknown      |   |
| <b>Pull Request or Patch supplied:</b>   | Not supplied |   |
| <b>Easy fix?:</b>  | No           |   |
| <b>Description</b>   |              |   |
| <p>Hello,</p> <p>I'm a newbie on this forum</p> <p>Kml/Kmz formats allow users to rank your data in folder and subfolder ( when y ou have a lot of data,associate with the minLOD and MaxLod settings, it's very useful). Arcgis for exemple can do that with the attribute "FolderPath" of your folderpath. It would be great to implement that functionality in Qgis.</p> <p>The possibility to rank that folder alphabetically would also be great</p> <p>I know a website which is capable to do that kind of thing. There is a lot of useful settings you can choose for kml . A free use is available for 200 rows, if you want to see an exemple of what i am speaking</p> <p><a href="http://www.earthpoint.us/">http://www.earthpoint.us/</a></p> <p>Implement that functionality in qgis core or an extension would be great</p> |              |   |

History

#1 - 2017-05-01 12:46 AM - Giovanni Manghi

- Easy fix? set to No

#2 - 2017-09-22 09:56 AM - Jürgen Fischer

- Category set to Unknown