

QGIS Application - Bug report #1738
duplicated objects in map composer

2009-06-15 09:56 AM - bjpfei -

Status:	Closed	
Priority:	Low	
Assignee:	nobody -	
Category:		
Affected QGIS version:		Regression?: No
Operating System: RedHat		Easy fix?: No
Pull Request or Patch supplied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 11798
Description 1.) Open a QGIS-Project A (in my case some Shape and DB-Layers) where the map composer contains at least one map window 2.) Change to QGIS-Project B with Open Recent Projects. This project should also contain at least one map window in the map composer 3.) Open the map composer 4.) Close the map composer 5.) Change the QGIS-Project and open Project A 6.) Open the map composer 7.) Close the map composer 8.) Save Project A 9.) If you now check the .qgs-File with a text editor you can already see more than one composerMap. In QGIS you still see one map window 10.) So close QGIS 11.) Open QGIS and load Project A. In the map composer you can see three map windows now. I know this isn't a very reasonable example. But if you are working with different projects you can easily run in these problems. Happens with code revision 10876 thx		

History

#1 - 2009-06-21 08:03 AM - Marco Hugentobler

- Resolution set to fixed
- Status changed from Open to Closed

I think this bug is fixed in commit:aaa5623e (SVN r10965).
Please reopen it if this is not the case.

