

QGIS Application - Bug report #1748
(windows) GRASS gui does not show if GRASS was run with wxpyhton interface

2009-06-26 10:58 PM - Paolo Cavallini

Status:	Closed	
Priority:	Low	
Assignee:	nobody -	
Category:	GRASS	
Affected QGIS version:		Regression?: No
Operating System:	Windows	Easy fix?: No
Pull Request or Patch supplied:		Resolution: fixed
Crashes QGIS or corrupts data:		Copied to github as #: 11808
Description		
The GRASS shell is currently not working in OSGeo 1.2 windows package. When opening it, a cmd.exe window pops up, but GRASS shell variables are not initialized		

History

#1 - 2009-06-27 12:55 AM - Jürgen Fischer

Which variables are unset? Which package are you referring to?

#2 - 2009-06-27 01:01 AM - Paolo Cavallini

If I type a GRASS command, e.g. g.region, I get an error message about GRASS variables not being set. Tested with qgis-dev (1.2) from OSGeo installer. Thanks.

#3 - 2009-07-19 06:26 AM - Giovanni Manghi

Replying to [comment:1 jef]:

Which variables are unset? Which package are you referring to?

the message is

ERROR: G_getenv(): Variable GRASS_GUI not set

used qgis 1.2 installed with the osgeo4w installer

#4 - 2009-08-13 05:06 AM - Giovanni Manghi

Made a further test with the osgeo4w installer (using qgis 1.2) on windows xp.

A first try to use a grass command in the shell returned the following

```
C:\>v.in.ogr
Traceback (most recent call last):
  File "C:\OSGeo4W\apps\grass\GRASS~1.0SV/etc/wxpython/gui_modules/menuform.py"
```

```
, line 1933, in <module>
  [[GrassGUIApp]]( grassTask( sys.argvr1 ) ).MainLoop()
File "C:\\OSGeo4W\\apps\\grass\\GRASS~1.0SV\\etc\\wxpython\\gui_modules\\menuform.py"
, line 336, in +init+
  xml.sax.parseString( getInterfaceDescription( grassModule ) , processTask( s
elf ) )
File "C:\\OSGeo4W\\apps\\grass\\GRASS~1.0SV\\etc\\wxpython\\gui_modules\\menuform.py"
, line 1753, in getInterfaceDescription
  cmdout = p.sub(globalvar.ETCDIR + r'/grass-interface.dtd', cmdout)
File "C:\\OSGeo4W\\apps\\Python25\\lib\\
e.py", line 269, in _subx
  template = _compile_repl(template, pattern)
File "C:\\OSGeo4W\\apps\\Python25\\lib\\
e.py", line 256, in _compile_repl
  raise error, v # invalid expression
sre_constants.error: bad group name
```

as it seemed to try use the wxpyhton interface, then I uninstalled everything and reinstalled without wx-pyhton. This way the GRASS tcltk interface still works, but this time the grass shell under qgis does nothing

```
C:\\>v.in.ogr
C:\\>
```

but it is still able to recognize wrong commands.

#5 - 2009-08-16 03:03 AM - Giovanni Manghi

My latest comment was obviously regarding trying to open the grass gui by issuing a command with no parameters. When issuing grass commands with parameters the shell seems to work fine.

I noticed also that under windows if the grass shell is open and one close qgis, than the shell remains open. I don't know if this has to be considered a issue or an inevitable thing.

#6 - 2009-11-07 02:40 PM - Paolo Cavallini

It seems to me that is reasonably working now: can we close it?

#7 - 2009-11-30 03:01 PM - Giovanni Manghi

Replying to [comment:6 pcav]:

It seems to me that is reasonably working now: can we close it?

It doesn't seems to me. I Just checked on the latest qgis-dev version installed with the osgeo4w package, and I found all the problems described in this ticket.

I first get a "ERROR: G_getenv(): Variable GRASS_GUI not set" then I played around with the GRASS installation (osgeo4w installs both the tcltk and

wxpython GRASS interfaces) and went back to the qgis GRASS plugin.

I then get the same error reported above (if GRASS is configured to start with the wxpython interface) or nothing at all (if GRASS is configured to start with the tcltk interface).

Again the only situation that the shell seems to work is if you issue a command together with its own parameters. No way to get the GRASS interface pop up by just issuing the command name.

#8 - 2010-02-10 05:39 AM - Giovanni Manghi

Hi,

I tested again qgis-dev (commit:6b9f41d8 (SVN r12904)) installed with osgeo4w (there was recently an update of the GRASS packages) and the good news is that apparently, now issuing a GRASS command with no parameters, in the qgis GRASS shell make the program to correctly open the native tcl-tk GRASS interface.

A problem still remains:

if for some reasons GRASS is launched with the new wxpython interface then, when a command (with no parameters) is issued in the qgis GRASS shell, an error is returned

```
C:\>v.in.ogr
```

```
Traceback (most recent call last):
```

```
File "C:\OSGeo4W\apps\grass\GRASS~1.0SV\etc\wxpython\gui_modules\menuform.py"
```

```
, line 1942, in <module>
```

```
[[GrassGUIApp]]( grassTask( sys.argvr1 ) ).MainLoop()
```

```
File "C:\OSGeo4W\apps\grass\GRASS~1.0SV\etc\wxpython\gui_modules\menuform.py"
```

```
, line 334, in +init+
```

```
xml.sax.parseString( getInterfaceDescription( grassModule ) , processTask( s  
elf ) )
```

```
File "C:\OSGeo4W\apps\grass\GRASS~1.0SV\etc\wxpython\gui_modules\menuform.py"
```

```
, line 1762, in getInterfaceDescription
```

```
cmdout = p.sub(globalvar.ETCDIR + r'\grass-interface.dtd', cmdout)
```

```
File "C:\OSGeo4W\apps\Python25\lib\
```

```
e.py", line 269, in _subx
```

```
template = _compile_repl(template, pattern)
```

```
File "C:\OSGeo4W\apps\Python25\lib\
```

```
e.py", line 256, in _compile_repl
```

```
raise error, v # invalid expression
```

```
sre_constants.error: bad group name
```

to overcome this problem is enough to re-run GRASS with the tcl-tk interface.

#9 - 2010-03-05 01:36 AM - Redmine Admin

GRASS wxpython fails if GISBASE contains a backslash, so it is bug in GRASS I think.

I have added conversion \\ -> / to [[QgsGrass]]::shortPath so it should be fixed.

To be verified with next qgis-dev build.

#10 - 2010-03-07 02:27 PM - Giovanni Manghi

I tested the latest qgis-dev with osgeo4w under Windows Seven and tried to launch the GRASS interface from the qgis GRASS plugin shell:

the message is

```
ERROR: G_getenv(): Variable GRASS_GUI not set
```

but no more errors like the one I posted in this ticket, if the user had launched before the GRASS wxpython interface. Just

```
ERROR: G_getenv(): Variable GRASS_GUI not set
```

The same now happens also under XP (it used to work), the message is the same.

#11 - 2010-03-15 11:00 AM - Redmine Admin

- *Resolution set to fixed*
- *Status changed from Open to Closed*

I have set the default GRASS_GUI to wxpython in commit:49a6486d (SVN r13058).