# QGIS Application - Bug report #18885 Processing native Clip algorithm does not copy the attribute table

2018-04-30 12:31 PM - matteo ghetta

Status:	Closed			
Priority:	High			
Assignee:				
Category:	Processing/QGIS			
Affected QGIS version:3.1(master)		Regression?:	Yes	
Operating System: any		Easy fix?:	No	
Pull Request or Patch supplied:		Resolution:		
Crashes QGIS or corru <b>pits</b> data:		Copied to github as #: 26717		
Description				

Even if the tool work fine (even with different CRS) the attribute of the original layer is not copied to the final one. SAGA tool works nice so the problem should not be in the data iteself.

In attach the input layer (point) and the mask layer (polygon) both in the same CRS.

## Associated revisions

## Revision 9809f939 - 2018-05-02 09:49 PM - Nyall Dawson

[memory] Fix provider cannot handle fields with complex characters in name

Fixes #18885

## Revision 1b263163 - 2018-05-03 03:23 AM - Nyall Dawson

[memory] Fix provider cannot handle fields with complex characters in name

Fixes #18885

(cherry-picked from 9809f9394b)

### History

#1 - 2018-04-30 12:32 PM - matteo ghetta

Forgot to say: if the output of Processing is treated as temporary. If it is saved on the disk it works nice

### #2 - 2018-05-01 12:41 AM - Nyall Dawson

- Status changed from Open to In Progress

Caused by memory provider rejecting the field with the "/" in its name

### #3 - 2018-05-02 09:48 PM - Nyall Dawson

- % Done changed from 0 to 100

- Status changed from In Progress to Closed

Applied in changeset commit:qgis|9809f9394b3b0e1d8392add4cc2a7c380dd33eca.

Fi	les
	103

clip.gpkg

2.23 MB

2018-04-30

matteo ghetta