

QGIS Application - Bug report #18923

GDAL/OGR Convert Format, persistent/unwanted default output format

2018-05-07 10:02 PM - Lance Evans

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Processing/OGR	
Affected QGIS version:	3.0.2	Regression?: No
Operating System:	Windows 10	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: fixed/implemented
Crashes QGIS or corrupts data:	No	Copied to github as #: 26755
Description 1) In modeler, trying to convert a line shapefile to GPX using GDAL Convert Format. The algorithm insists on leaving in the default output format [-f "ESRI Shapefile"] even though I've input [-f "GPX"] in the Additional Creation Options. This results in an empty shapefile with standard GPX attributes (ele, time, magvar, geoidheight, name, cmt, descr, etc.) The processing log illustrates how the GDAL command includes output formats for both shapefile and GPX { INPUT: 'output_7', OPTIONS: '-f "GPX"', OUTPUT: 'C:/somepath/gdal_convertformat_1_gpxout.shp' } GDAL command: ogr2ogr -f "ESRI Shapefile" -f "GPX" "C:/somepath/gdal_convertformat_1_gpxout.shp" C:/somepath/INPUT.shp INPUT 2) Similarly, using the Convert Format from the Processing Toolbox and only adding [-f "GPX"] to the additional creation options yields the following in the console call: ogr2ogr -f "ESRI Shapefile" -f "GPX" "C:/somepath/OUTPUT.shp" path_to_data_file layer_name 3) Finally, for QGIS 3, there appears to be no means of modifying the GDAL command window. The Processing Toolbox Convert Format shows the resulting command window, but it is not editable.		

History

#1 - 2018-05-08 12:06 AM - Nyal Dawson

The output format is automatically set based on the output file extension. It may be a silly question, but have you tried converting to a .gpx file destination?

#2 - 2018-05-08 12:06 AM - Nyal Dawson

- Status changed from Open to Feedback

#3 - 2018-05-08 04:21 AM - Lance Evans

I had not as I'm trying to get temporary layer result. If I specify a GPX file for output, as opposed to leaving blank to create a temporary layer, it fails. Processing log gives: ERROR 4: Failed to create GPX file "somepath/outtest.gpx". ERROR 1: GPX driver failed to create "somepath/outtest.gpx"

The line layer being used as input can be saved as a GPX file with no issues, but I can't seem to complete conversion with GDAL Convert Format/ogr2ogr.

#4 - 2018-05-08 05:08 AM - Nyal Dawson

What's the gdal command when you try to export as gpx?

#5 - 2018-05-08 06:26 AM - Lance Evans

Using Convert Format from the Processing Toolbox, using no Additional Creation Options, and path/gpxtest.gpx as the converted file name, the console call shows:

```
ogr2ogr -f "ESRI Shapefile"
```

```
"C:/Users/Lance/AppData/Local/Temp/processing_919f0c64ee7642c487acd74ea270cd12/12502b1eb597496ea7548d80c5b7b2b1/OUTPUT.shp"
```

```
path_to_data_file layer_name
```

After running, the log shows the following was executed:

```
ogr2ogr -f "GPX" "\"P:/Lunate Google Drive/QGIS Data/GPS Testing/gpxtest.gpx\""
```

```
C:/Users/Lance/AppData/Local/Temp/processing_919f0c64ee7642c487acd74ea270cd12/663e287d5e484d0d90b5a896c900760f/INPUT.shp INPUT
```

#6 - 2018-06-04 02:01 AM - Nyal Dawson

- *Resolution set to fixed/implemented*

- *Status changed from Feedback to Closed*

Fixed in master