# QGIS Application - Bug report #19301
## Processing misinterprets windows paths in history

2018-06-29 06:58 AM - Loïc BARTOLETTI

| | | | | |
|---|---|---|---|---|
| **Status:** | Closed | | | |
| **Priority:** | Normal | | | |
| **Assignee:** | | | | |
| **Category:** | Processing/GUI | | | |
| **Affected QGIS version:** | 3.3(master) | **Regression?:** | No | |
| **Operating System:** | | **Easy fix?:** | No | |
| **Pull Request or Patch supplied:** | Yes | **Resolution:** | fixed/implemented | |
| **Crashes QGIS or corrupts data:** | No | **Copied to github as #:** | 27129 | |

### Description

I create a script which requires a directory.

When I execute it, the path is 'C:\temp\res'.

If I reopen it, thanks to history. The GUI shows me 'c:    emp es' Interpreted as "c:    emp

es"

Well, seems that on windws special char (\t, \r) are misinterpreted.

Thanks

### History

#### #1 - 2018-06-30 11:13 PM - Nyall Dawson

*- Pull Request or Patch supplied changed from No to Yes*


https://github.com/qgis/QGIS/pull/7345


#### #2 - 2018-07-04 08:04 AM - Alexander Bruy

*- Resolution set to fixed/implemented*

*- Status changed from Open to Closed*


Fixed in master