

QGIS Application - Bug report #19589

Not possible to save style to non-spatial layers in PostGIS

2018-08-10 01:42 PM - Saber Razmjooei

Status: Closed	
Priority: Normal	
Assignee:	
Category: Symbology	
Affected QGIS version: 3.3(master)	Regression?: No
Operating System:	Easy fix?: No
Pull Request or Patch supplied: No	Resolution:
Crashes QGIS or corrupts data: No	Copied to github as #: 27416
Description	
Not sure if it is a bug or feature request:	
I have a non-spatial table in PostGIS, with a nice Form layout for users to fill in. You can export the style as QML and re-use it by loading the QML file. But if the style is saved as Default within the database, it is always loaded with no style.	

Associated revisions

Revision bb0c6293 - 2018-10-01 08:48 AM - Martin Dobias

Fix loading style for non-spatial tables in Postgres+SpatialLite (fixes #19589)

OGR is not affected by the bug.

Oracle and MS SQL are most likely affected, but I don't have them here to test.

Revision 942a560b - 2018-10-11 09:03 AM - Martin Dobias

Fix loading style for non-spatial tables in Postgres+SpatialLite (fixes #19589)

OGR is not affected by the bug.

Oracle and MS SQL are most likely affected, but I don't have them here to test.

(cherry picked from commit bb0c62935562ebe28a0d862e4bdf985865bde595)

History

#1 - 2018-10-01 08:47 AM - Martin Dobias

- % Done changed from 0 to 100

- Status changed from Open to Closed

Applied in changeset commit:qgis|bb0c62935562ebe28a0d862e4bdf985865bde595.