

QGIS Application - Bug report #19750

"To run another Processing algorithm" in Processing's ScriptTemplate.py is broken

2018-09-01 09:06 PM - Johannes Kroeger

Status: Closed	
Priority: Normal	
Assignee:	
Category: Processing/Core	
Affected QGIS version: 3.3(master)	Regression?: No
Operating System:	Easy fix?: Yes
Pull Request or Patch supplied: No	Resolution: fixed/implemented
Crashes QGIS or corrupts data: No	Copied to github as #: 27575

Description

<https://github.com/qgis/QGIS/blob/master/python/plugins/processing/script/ScriptTemplate.py#L184>

```
buffered_layer = processing.run("native:buffer", param={
```

should be

```
buffered_layer = processing.run("native:buffer", parameters={
```

otherwise you will get:

Traceback (most recent call last):

File "<string>", line 193, in processAlgorithm

TypeError: run() got an unexpected keyword argument 'param'

Execution failed after 0.02 seconds

History

#1 - 2018-09-03 11:25 AM - Giovanni Manghi

- Status changed from Open to Feedback

Can you make a pull request with the patch? thanks!

#2 - 2018-09-25 05:51 AM - Nyal Dawson

- Resolution set to fixed/implemented

- Status changed from Feedback to Closed

#3 - 2018-09-26 09:07 PM - Johannes Kroeger

Thanks Nyal! I would have wanted to sweeten up more things in the example but haven't fully understood everything yet nor had no time so far.