QGIS Application - Bug report #19861
Browser: Impossible to delete GeoPackage table if the path has accents

2018-09-17 08:39 AM - Jérôme Guélat

Status:	Closed		
Priority:	Normal		
Assignee:	Even Rouault		
Category:	Data Provider/OGR		
Affected QGIS version:	3.3(master)	**Regression?:**	No
Operating System:	Windows 7	**Easy fix?:**	No
Pull Request or Patch supplied:	No	**Resolution:**	fixed/implemented
Crashes QGIS or corrupts data:	No	**Copied to github as #:**	27685

Description

It is currently impossible to delete GeoPackage tables using QGIS browser if the path of the GeoPackage contains accents. However this works with DB Manager...

1. Create a new folder called "täst"
2. Copy a GeoPackage into this folder
3. Try to delete a table inside this GeoPackage using the browser

History

#1 - 2018-10-01 03:30 PM - Jérôme Guélat

The same bug is also occurring with master (3.3, rev. 3032af2dcc)

#2 - 2018-10-01 04:02 PM - Giovanni Manghi

- Affected QGIS version changed from 3.2.3 to 3.3(master)

#3 - 2018-10-06 10:57 PM - Even Rouault

- Assignee set to Even Rouault

- Category changed from Browser to Data Provider/OGR

#4 - 2018-10-08 02:01 AM - Nyall Dawson

- Resolution set to fixed/implemented

- Status changed from Open to Closed