

QGIS Application - Bug report #20014

WMS GetContext has multiple StyleList layers

2018-10-04 03:17 PM - Jean-Charles Billaud

Status: Closed	
Priority: Normal	
Assignee:	
Category: QGIS Server	
Affected QGIS version: 2.18.23	Regression?: No
Operating System:	Easy fix?: No
Pull Request or Patch supplied:	Resolution: end of life
Crashes QGIS or corrupts data:	Copied to github as #: 27836

Description

On querying Qgis Server (qgs_mapserv.fcgi) 2.18.23 with a WMS GetContext, each Layer in the response contains several StyleList elements, each with a single Style element :

```
<Layer group="Group1" hidden="false" id="_File1" name="_File1" opacity="1" queryable="true">
  <ows:Title>File1</ows:Title>
  <ows:OutputFormat>image/png</ows:OutputFormat>
  <Server default="true" service="urn:ogc:serviceType:WMS" version="1.3.0">
    <OnlineResource xlink:href="http://example.com/cgi-bin/qgis-server/ows/zone1?"/>
  </Server>
  <StyleList>
    <Style current="true">
      <Name>generic-ramp</Name>
      <Title>generic-ramp</Title>
    </Style>
  </StyleList>
  <StyleList>
    <Style current="true">
      <Name>specific-ramp</Name>
      <Title>specific-ramp</Title>
    </Style>
  </StyleList>
</Layer>
```

But according to the reference document OGC 05-005, each Layer should have at most a single StyleList Element containing all its Style elements (and no StyleList element if there is no Style element), i.e :

```
<Layer group="Group1" hidden="false" id="_File1" name="_File1" opacity="1" queryable="true">
  <ows:Title>File1</ows:Title>
  <ows:OutputFormat>image/png</ows:OutputFormat>
  <Server default="true" service="urn:ogc:serviceType:WMS" version="1.3.0">
    <OnlineResource xlink:href="http://example.com/cgi-bin/qgis-server/ows/zone1?"/>
  </Server>
  <StyleList>
    <Style current="true">
      <Name>generic-ramp</Name>
      <Title>generic-ramp</Title>
    </Style>
    <Style current="true">
```

```
<Name>specific-ramp</Name>
<Title>specific-ramp</Title>
</Style>
</StyleList>
</Layer>
```

(not too sure about whether having several styles being declared current at the same time is supposed to be valid by the way, but that would be a separate and lesser issue)

I use Qgis 2.18.23 but qgswmsmapcontext.cpp, void appendOwsLayerStyles(QDomDocument &doc, QDomElement &layerElem, QgsMapLayer *currentLayer) seems to be the same in 3.3.

History

#1 - 2019-01-21 12:35 AM - Jürgen Fischer

- Status changed from Open to Feedback

Please test with QGIS 3.4 - QGIS 2.18 reached it's end of life.

#2 - 2019-03-09 03:10 PM - Giovanni Manghi

- Resolution set to end of life

- Status changed from Feedback to Closed

End of life notice: QGIS 2.18 LTR

Source:

<http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/>

QGIS 3.4 has recently become our new Long Term Release (LTR) version. This is a major step in our history – a long term release version based on the massive updates, library upgrades and improvements that we carried out in the course of the 2.x to 3x upgrade cycle.

We strongly encourage all users who are currently using QGIS 2.18 LTR as their preferred QGIS release to migrate to QGIS 3.4. This new LTR version will receive regular bugfixes for at least one year. It also includes hundreds of new functions, usability improvements, bugfixes, and other goodies. See the relevant changelogs for a good sampling of all the new features that have gone into version 3.4

Most plugins have been either migrated or incorporated into the core QGIS code base.

We strongly discourage the continued use of QGIS 2.18 LTR as it is now officially unsupported, which means we'll not provide any bug fix releases for it.

You should also note that we intend to close all bug tickets referring to the now obsolete LTR version. Original reporters will receive a notification of the ticket closure and are encouraged to check whether the issue persists in the new LTR, **in which case they should reopen the ticket.**

If you would like to better understand the QGIS release roadmap, check out our roadmap page! It outlines the schedule for upcoming releases and will help you plan your deployment of QGIS into an operational environment.

The development of QGIS 3.4 LTR has been made possible by the work of hundreds of volunteers, by the investments of companies, professionals, and administrations, and by continuous donations and financial support from many of you. We sincerely thank you all and encourage you to collaborate and support the project even more, for the long term improvement and sustainability of the QGIS project.

