

QGIS Application - Bug report #20221

Generate Contours from Points

2018-10-26 01:57 AM - Joel Scott

Status: Closed	
Priority: Normal	
Assignee:	
Category: Python plugins	
Affected QGIS version: 3.2.3	Regression?: No
Operating System: Windows 10 64 bit	Easy fix?: No
Pull Request or Patch Applied:	Resolution:
Crashes QGIS or corrupts data:	Copied to github as #: 28042
Description	
<p>I have a shape file containing random points with values to contour after taking the difference of two fields. Some points have Null values. I used the following expression in the Generate Contours tool to select only non Null values:</p> <pre>CASE WHEN "topsTOP" is not null and "topsELEVATION" is not null and "topsFORMATION" Like '%Prec%' THEN "topsELEVATION" - "topsTOP" END</pre> <p>This would not function within the tool but I could use the same expression to select the points without Nulls and tick the Selected Features Only box and this would work. Shouldn't Case work within the Generate Contours Tool?</p>	

History

#1 - 2018-10-27 10:08 AM - Saber Razmjooei

- Status changed from Open to Closed

Please log your ticket to the plugin issue tracker.

<https://github.com/ccrook/QGIS-Contour-Plugin/issues>

QGIS expression works fine. So, there must be an issue with the plugin:

Files

Generate Contours-Non Null Selections.txt	2.42 KB	2018-10-25	Joel Scott
---	---------	------------	------------