

QGIS Application - Bug report #2121

trunk compilation errors

2009-11-19 07:37 AM - Markus Neteler

Status: Closed	
Priority: Low	
Assignee: Tim Sutton	
Category: Build/Install	
Affected QGIS version:	Regression?: No
Operating System: Mandriva	Easy fix?: No
Pull Request or Patch supplied:	Resolution: wontfix
Crashes QGIS or corrupts data:	Copied to github as #: 12181

Description

I don't manage to compile trunk on Mandriva 2008, 64bit:

```
...
-- Found Qt-Version 4.3.1
-- Found Qt-Version 4.3.1
-- Configuring done
-- Generating done
-- Build files have been written to: /home/neteler/software/qgis_trunk/build

[ 0%] [ 1%] [ 1%] Built target svnversion
Built target plugininstaller
Built target mapserverexport
[ 8%] [ 8%] Built target ...
[ 33%] Building CXX object src/gui/CMakeFiles/qgis_gui.dir/qgsdetaileditemdelegate.o

[ 33%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/qgswfsprovider.o
[ 33%] Building CXX object src/providers/grass/CMakeFiles/qgisgrass.dir/qgsgrassprovider.o
/home/neteler/software/qgis_trunk/src/gui/qgscolorbutton.cpp: In member function 'void [[QgsColorButtonV]]2::setColor(const QColor&)':
/home/neteler/software/qgis_trunk/src/gui/qgscolorbutton.cpp:93: error: 'class QPainter' has no member named 'drawRoundedRect'
maker2: *** [src/gui/CMakeFiles/qgis_gui.dir/qgscolorbutton.o] Error 1
maker2: *** Waiting for unfinished jobs....
[ 33%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/qgswfsdata.o
maker1: *** [src/gui/CMakeFiles/qgis_gui.dir/all] Error 2
maker1: *** Waiting for unfinished jobs....
[ 33%] Building CXX object src/providers/grass/CMakeFiles/qgisgrass.dir/qgsgrass.o
[ 33%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/moc_qgswfsdata.o
[ 33%] Building CXX object src/providers/wfs/CMakeFiles/wfsprovider.dir/moc_qgswfsprovider.o
Linking CXX shared library libqgisgrass.so
Linking CXX shared module libwfsprovider.so
[ 33%] Built target qgisgrass
[ 33%] Built target wfsprovider
make: *** [all] Error 2
[ 0%] Built target svnversion
[ 7%] Built target ui
[ 23%] Built target qgis_core
[ 23%] Building CXX object src/gui/CMakeFiles/qgis_gui.dir/qgscolorbutton.o
/home/neteler/software/qgis_trunk/src/gui/qgscolorbutton.cpp: In member function 'void [[QgsColorButtonV]]2::setColor(const
```

```
QColor&):  
/home/neteler/software/qgis_trunk/src/gui/qgscolorbutton.cpp:93: error: 'class QPainter' has no member named  
'drawRoundedRect'  
maker2: *** [src/gui/CMakeFiles/qgis_gui.dir/qgscolorbutton.o] Error 1  
maker1: *** [src/gui/CMakeFiles/qgis_gui.dir/all] Error 2  
make: *** [all] Error 2
```

Deleting the offending line (brutal hack) leads to the next error:

```
[ 51%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsaddattrdialog.o  
/home/neteler/software/qgis_trunk/src/app/qgisapp.cpp: In member function 'void [[QgisApp]]::loadPythonSupport()':  
/home/neteler/software/qgis_trunk/src/app/qgisapp.cpp:4882: error: no matching function for call to 'QLibrary::QLibrary(QString&,  
QString&)'  
/usr/lib/qt4/include/QtCore/qlibrary.h:96: note: candidates are: QLibrary::QLibrary(const QLibrary&)  
/usr/lib/qt4/include/QtCore/qlibrary.h:68: note: QLibrary::QLibrary(const QString&, int, QObject*)  
/usr/lib/qt4/include/QtCore/qlibrary.h:67: note: QLibrary::QLibrary(const QString&, QObject*)  
/usr/lib/qt4/include/QtCore/qlibrary.h:66: note: QLibrary::QLibrary(QObject*)  
[ 51%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsattributeactiondialog.o  
maker2: *** [src/app/CMakeFiles/qgis.dir/qgisapp.o] Error 1  
maker2: *** Waiting for unfinished jobs....  
Parsing SIP files for 'gui' library...  
/usr/bin/sip -c gui -b /home/neteler/software/qgis_trunk/build/python/gui/gui.sbf -l /home/neteler/software/qgis_trunk/python -l  
/usr/share/sip/PyQt4 -x [[VendorID]] -t WS_X11 -x [[PyQt]]_NoPrintRangeBug -t Qt_4_3_0 -g  
/home/neteler/software/qgis_trunk/python/gui/gui.sip  
maker1: *** [src/app/CMakeFiles/qgis.dir/all] Error 2  
Parsing SIP files for 'analysis' library...  
/usr/bin/sip -c analysis -b /home/neteler/software/qgis_trunk/build/python/analysis/analysis.sbf -l  
/home/neteler/software/qgis_trunk/python -l /usr/share/sip/PyQt4 -x [[VendorID]] -t WS_X11 -x [[PyQt]]_NoPrintRangeBug -t  
Qt_4_3_0 -g /home/neteler/software/qgis_trunk/python/analysis/analysis.sip  
Creating makefiles...  
Creating qgisconfig.py...  
...
```

History

#1 - 2009-11-19 09:22 AM - Jürgen Fischer

- Status changed from Open to In Progress

please try commit:1cb41abb (SVN r12199) and report back.

#2 - 2009-11-19 09:24 AM - Markus Neteler

OK, but bow I get

```
[ 41%] Built target qgis_gui  
[ 41%] Generating core/Makefile, gui/Makefile, analysis/Makefile  
[ 42%] Building CXX object src/plugins/copyright_label/CMakeFiles/copyrightlabelplugin.dir/plugin.o
```

Linking CXX shared module libdelimitedtextplugin.so

Parsing SIP files for 'core' library...

```
/usr/bin/sip -c core -b /home/neteler/software/qgis_trunk/build/python/core/core.sbf -l /usr/share/sip/PyQt4 -x [[VendorID]] -t WS_X11 -x [[PyQt]]_NoPrintRangeBug -t Qt_4_3_0 -g /home/neteler/software/qgis_trunk/python/core/core.sip
```

```
In file included from /home/neteler/software/qgis_trunk/src/plugins/copyright_label/pluggingui.h:15,  
from /home/neteler/software/qgis_trunk/src/plugins/copyright_label/plugin.cpp:45:
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:24:25: error: qformlayout.h: No such file or directory
```

[43%] Built target delimitedtextplugin

[43%] Scanning dependencies of target qgis

Building CXX object src/plugins/copyright_label/CMakeFiles/copyrightlabelplugin.dir/pluggingui.o

```
In file included from /home/neteler/software/qgis_trunk/src/plugins/copyright_label/pluggingui.h:15,  
from /home/neteler/software/qgis_trunk/src/plugins/copyright_label/pluggingui.cpp:12:
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:24:25: error: qformlayout.h: No such file or directory
```

```
In file included from /home/neteler/software/qgis_trunk/src/plugins/copyright_label/pluggingui.h:15,  
from /home/neteler/software/qgis_trunk/src/plugins/copyright_label/pluggingui.cpp:12:
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:35: error: ISO C++ forbids declaration of 'QFormLayout'  
with no type
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:35: error: expected ';' before '**' token
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h: In member function 'void  
Ui_QgsCopyrightLabelPluginGuiBase::setupUi(QDialog*)':
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:67: error: 'formLayout' was not declared in this scope
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:67: error: expected type-specifier before 'QFormLayout'
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:67: error: expected @,' before 'QFormLayout'
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:71: error: 'QFormLayout' has not been declared
```

```
In file included from /home/neteler/software/qgis_trunk/src/plugins/copyright_label/pluggingui.h:15,  
from /home/neteler/software/qgis_trunk/src/plugins/copyright_label/plugin.cpp:45:
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:35: error: ISO C++ forbids declaration of 'QFormLayout'  
with no type
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:35: error: expected ';' before '**' token
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h: In member function 'void  
Ui_QgsCopyrightLabelPluginGuiBase::setupUi(QDialog*)':
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:67: error: 'formLayout' was not declared in this scope
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:67: error: expected type-specifier before 'QFormLayout'
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:67: error: expected @,' before 'QFormLayout'
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/copyright_label/ui_plugginguibase.h:71: error: 'QFormLayout' has not been declared
```

```
maker2: *** [src/plugins/copyright_label/CMakeFiles/copyrightlabelplugin.dir/pluggingui.o] Error 1
```

```
maker2: *** Waiting for unfinished jobs....
```

```
Linking CXX shared module libinterpolationplugin.so
```

```
maker2: *** [src/plugins/copyright_label/CMakeFiles/copyrightlabelplugin.dir/plugin.o] Error 1
```

```
maker1: *** [src/plugins/copyright_label/CMakeFiles/copyrightlabelplugin.dir/all] Error 2
```

```
maker1: *** Waiting for unfinished jobs....
```

[45%] Built target interpolationplugin

[45%] [45%] Building CXX object src/app/CMakeFiles/qgis.dir/main.o

[45%] Building CXX object src/app/CMakeFiles/qgis.dir/qgisapp.o

Building CXX object src/app/CMakeFiles/qgis.dir/qgsattributeeditor.o

```
/home/neteler/software/qgis_trunk/src/app/qgsattributeeditor.cpp: In static member function 'static QWidget*
[[QgsAttributeEditor]]::createAttributeEditor(QWidget*, QWidget*, [[QgsVectorLayer]]*, int, const QVariant&)':
/home/neteler/software/qgis_trunk/src/app/qgsattributeeditor.cpp:329: error: 'pte' was not declared in this scope
maker2: *** [src/app/CMakeFiles/qgis.dir/qgsattributeeditor.o] Error 1
maker2: *** Waiting for unfinished jobs....
maker1: *** [src/app/CMakeFiles/qgis.dir/all] Error 2
Parsing SIP files for 'gui' library...
/usr/bin/sip -c gui -b /home/neteler/software/qgis_trunk/build/python/gui/gui.sbf -l /home/neteler/software/qgis_trunk/python -l /usr/share/sip/PyQt4
-x [[VendorID]] -t WS_X11 -x [[PyQt]]_NoPrintRangeBug -t Qt_4_3_0 -g /home/neteler/software/qgis_trunk/python/gui/gui.sip
Parsing SIP files for 'analysis' library...
```

#3 - 2009-11-19 03:53 PM - Jürgen Fischer

please try again with >commit:8e6fcddef (SVN r12200)

#4 - 2009-11-19 04:08 PM - Markus Neteler

Thanks. Now:

```
[ 31%] Built target memoryprovider
[ 31%] Building CXX object src/gui/CMakeFiles/qgis_gui.dir/qgsgenericprojectionselector.o
/home/neteler/software/qgis_trunk/src/gui/qgscolorbutton.cpp: In member function 'void [[QgsColorButtonV]]2::setColor(const QColor&)':
/home/neteler/software/qgis_trunk/src/gui/qgscolorbutton.cpp:93: error: 'class QPainter' has no member named 'drawRoundedRect'
maker2: *** [src/gui/CMakeFiles/qgis_gui.dir/qgscolorbutton.o] Error 1
```

Qt-Version is 4.3.1.

I don't want to stress you, it is just the hope to compile on not-so-new-but-well-functioning servers.

#5 - 2009-11-19 04:40 PM - Jürgen Fischer

#6 - 2009-11-19 04:46 PM - Jürgen Fischer

Replying to [comment:5 jef]:

```
<pre>
```

```
<pre>
```

#7 - 2009-11-19 04:55 PM - Jürgen Fischer

Replying to [comment:6 jef]:

>
<pre>

ouch. looks like it's late.

<pre>

<pre>

#8 - 2009-11-19 10:20 PM - Markus Neteler

Here is the latest output after "make -k":

```
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/qgscontinuouscolordialog.o
In file included from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.h:23,
  from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.cpp:20:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:24:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.h:23,
  from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.cpp:20:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:32: error: ISO C++ forbids declaration of
\u2018QFormLayout\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:32: error: expected \u2018;\u2019 before
\u2018*\u2019 token
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h: In member function \u2018void
Ui_QgsContinuousColorDialogBase::setupUi(QDialog*)\u2019:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: \u2018formLayout\u2019 was not declared in
this scope
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: expected type-specifier before
\u2018QFormLayout\u2019
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: expected '@;' before
\u2018QFormLayout\u2019
maker2: *** [src/app/CMakeFiles/qgis.dir/qgscontinuouscolordialog.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsgraduatedsymboldialog.o
In file included from /home/neteler/software/qgis_trunk/src/app/qgsludialog.h:22,
  from /home/neteler/software/qgis_trunk/src/app/qgsgraduatedsymboldialog.cpp:25:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:23:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/src/app/qgsludialog.h:22,
  from /home/neteler/software/qgis_trunk/src/app/qgsgraduatedsymboldialog.cpp:25:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:29: error: ISO C++ forbids declaration of \u2018QFormLayout\u2019
with no type
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:29: error: expected \u2018;\u2019 before \u2018*\u2019 token
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h: In member function \u2018void
Ui_QgsLUDialogBase::setupUi(QDialog*)\u2019:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: \u2018formLayout\u2019 was not declared in this scope

/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: expected type-specifier before \u2018QFormLayout\u2019

/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: expected '@;' before \u2018QFormLayout\u2019
maker2: *** [src/app/CMakeFiles/qgis.dir/qgsgraduatedsymboldialog.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsludialog.o
In file included from /home/neteler/software/qgis_trunk/src/app/qgsludialog.h:22,
```

```

from /home/neteler/software/qgis_trunk/src/app/qgsludialog.cpp:19:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:23:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/src/app/qgsludialog.h:22,
    from /home/neteler/software/qgis_trunk/src/app/qgsludialog.cpp:19:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:29: error: ISO C++ forbids declaration of \u2018QFormLayout\u2019
with no type
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:29: error: expected \u2018;\u2019 before \u2018*\u2019 token
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h: In member function \u2018void
Ui_QgsLUDialogBase::setupUi(QDialog*)\u2019:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: \u2018formLayout\u2019 was not declared in this scope

/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: expected type-specifier before \u2018QFormLayout\u2019

/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: expected '@;' before \u2018QFormLayout\u2019
maker2: *** [src/app/CMakeFiles/qgis.dir/qgsludialog.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsmaptoolrotatepointsymbols.o
/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp: In member function \u2018double
[[QgsMapToolRotatePointSymbols]]::calculateAzimut(const QPoint&)\u2019:
/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp:258: error: \u2018atan2\u2019 was not declared in this scope
/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp:258: error: \u2018M_PI\u2019 was not declared in this scope
maker2: *** [src/app/CMakeFiles/qgis.dir/qgsmaptoolrotatepointsymbols.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsvectorlayerproperties.o
In file included from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.h:23,
    from /home/neteler/software/qgis_trunk/src/app/qgsvectorlayerproperties.cpp:27:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:24:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.h:23,
    from /home/neteler/software/qgis_trunk/src/app/qgsvectorlayerproperties.cpp:27:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:32: error: ISO C++ forbids declaration of
\u2018QFormLayout\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:32: error: expected \u2018;\u2019 before
\u2018*\u2019 token
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h: In member function \u2018void
Ui_QgsContinuousColorDialogBase::setupUi(QDialog*)\u2019:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: \u2018formLayout\u2019 was not declared in
this scope
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: expected type-specifier before
\u2018QFormLayout\u2019
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: expected '@;' before
\u2018QFormLayout\u2019
maker2: *** [src/app/CMakeFiles/qgis.dir/qgsvectorlayerproperties.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/composer/qgscomposer.o
In file included from /home/neteler/software/qgis_trunk/src/app/composer/qgscomposerlegendwidget.h:21,
    from /home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:27:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h: In member function \u2018void
Ui_QgsComposerLegendWidgetBase::setupUi(QWidget*)\u2019:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h:174: error: \u2018class QTreeView\u2019 has no
member named \u2018setHeaderHidden\u2019
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp: In member function \u2018void
[[QgsComposer]]::on_mActionExportAsPDF_triggered()\u2019:
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:459: error: \u2018class QPrinter\u2019 has no member named
\u2018setPaperSize\u2019
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:459: error: \u2018Millimeter\u2019 is not a member of
\u2018QPrinter\u2019

```

```
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp: In member function void
[[QgsComposer]]::on_mActionPrint_triggered():
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:478: error: class QPainter has no member named
setPaperSize
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:478: error: Millimeter is not a member of
QPainter
maker2: *** [src/app/CMakeFiles/qgis.dir/composer/qgscomposer.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/composer/qgscomposerlegendwidget.o
In file included from /home/neteler/software/qgis_trunk/src/app/composer/qgscomposerlegendwidget.h:21,
    from /home/neteler/software/qgis_trunk/src/app/composer/qgscomposerlegendwidget.cpp:18:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h: In member function void
Ui_QgsComposerLegendWidgetBase::setupUi(QWidget*)
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h:174: error: class QTreeView has no
member named setHeaderHidden
maker2: *** [src/app/CMakeFiles/qgis.dir/composer/qgscomposerlegendwidget.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/moc_qgscontinuouscolordialog.o
In file included from /home/neteler/software/qgis_trunk/build/src/app/./././src/app/qgscontinuouscolordialog.h:23,
    from /home/neteler/software/qgis_trunk/build/src/app/moc_qgscontinuouscolordialog.cxx:10:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:24:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/build/src/app/./././src/app/qgscontinuouscolordialog.h:23,
    from /home/neteler/software/qgis_trunk/build/src/app/moc_qgscontinuouscolordialog.cxx:10:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:32: error: ISO C++ forbids declaration of
QFormLayout with no type
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:32: error: expected ; before
QFormLayout* token
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h: In member function void
Ui_QgsContinuousColorDialogBase::setupUi(QDialog*)
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: formLayout was not declared in
this scope
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: expected type-specifier before
QFormLayout
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: expected @;' before
QFormLayout
maker2: *** [src/app/CMakeFiles/qgis.dir/moc_qgscontinuouscolordialog.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/moc_qgsludialog.o
In file included from /home/neteler/software/qgis_trunk/build/src/app/./././src/app/qgsludialog.h:22,
    from /home/neteler/software/qgis_trunk/build/src/app/moc_qgsludialog.cxx:10:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:23:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/build/src/app/./././src/app/qgsludialog.h:22,
    from /home/neteler/software/qgis_trunk/build/src/app/moc_qgsludialog.cxx:10:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:29: error: ISO C++ forbids declaration of
QFormLayout with no type
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:29: error: expected ; before QFormLayout* token
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h: In member function void
Ui_QgsLUDialogBase::setupUi(QDialog*)
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: formLayout was not declared in this scope
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: expected type-specifier before
QFormLayout
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgsludialogbase.h:47: error: expected @;' before
QFormLayout
maker2: *** [src/app/CMakeFiles/qgis.dir/moc_qgsludialog.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/moc_qgscomposerlegendwidget.o
In file included from /home/neteler/software/qgis_trunk/build/src/app/./././src/app/composer/qgscomposerlegendwidget.h:21,
```

```

from /home/neteler/software/qgis_trunk/build/src/app/moc_qgscomposerlegendwidget.cxx:10:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h: In member function void
Ui_QgsComposerLegendWidgetBase::setupUi(QWidget*)\u2019:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h:174: error: class QTreeView has no
member named setHeaderHidden
maker2: *** [src/app/CMakeFiles/qgis.dir/moc_qgscomposerlegendwidget.o] Error 1
maker2: Target @src/app/CMakeFiles/qgis.dir/build' not remade because of errors.
maker1: *** [src/app/CMakeFiles/qgis.dir/all] Error 2
[ 34%] Built target qgis_analysis
[ 34%] Built target python
[ 35%] Built target qgis_help
[ 35%] Built target qgispython
[ 35%] Built target memoryprovider
[ 35%] Built target ogrprovider
[ 36%] Built target wmsprovider
[ 36%] Built target delimitedtextprovider
[ 36%] Built target osmprovider
[ 37%] Built target postgresprovider
[ 37%] Built target spatialiteprovider
[ 38%] Built target gpxprovider
[ 38%] Built target wfsprovider
[ 38%] Built target qgisgrass
[ 38%] Built target grassprovider
[ 39%] Built target copyrightlabelplugin
[ 40%] Built target delimitedtextplugin
[ 42%] Built target interpolationplugin
[ 42%] Built target northarrowplugin
[ 43%] Building CXX object src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/plugin.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluginui.h:15,
  from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/plugin.cpp:52:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:24:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluginui.h:15,
  from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/plugin.cpp:52:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:31: error: ISO C++ forbids declaration of
QFormLayout with no type
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:31: error: expected ';' before *
token
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h: In member function void
Ui_QgsScaleBarPluginGuiBase::setupUi(QDialog*)\u2019:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: formLayout was not declared in this
scope
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: expected type-specifier before
QFormLayout
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: expected @,' before QFormLayout
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:57: error: QFormLayout has not been declared
maker2: *** [src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/plugin.o] Error 1
[ 43%] Building CXX object src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/pluginui.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluginui.h:15,
  from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluginui.cpp:12:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:24:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluginui.h:15,
  from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluginui.cpp:12:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:31: error: ISO C++ forbids declaration of

```



```

\\u2018QFormLayout\\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:31: error: expected \\u2018;\\u2019 before \\u2018*\\u2019
token
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h: In member function \\u2018void
Ui_QgsScaleBarPluginGuiBase::setupUi(QDialog*)\\u2019:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: \\u2018formLayout\\u2019 was not declared in this
scope
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: expected type-specifier before
\\u2018QFormLayout\\u2019
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: expected '@;' before \\u2018QFormLayout\\u2019
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:57: error: \\u2018QFormLayout\\u2019 has not been declared
maker2: *** [src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/pluggingui.o] Error 1
[ 43%] Building CXX object src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/moc_pluggingui.o
In file included from /home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/../../../../src/plugins/scale_bar/pluggingui.h:15,
    from /home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/moc_pluggingui.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:24:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/../../../../src/plugins/scale_bar/pluggingui.h:15,
    from /home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/moc_pluggingui.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:31: error: ISO C++ forbids declaration of
\\u2018QFormLayout\\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:31: error: expected \\u2018;\\u2019 before \\u2018*\\u2019
token
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h: In member function \\u2018void
Ui_QgsScaleBarPluginGuiBase::setupUi(QDialog*)\\u2019:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: \\u2018formLayout\\u2019 was not declared in this
scope
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: expected type-specifier before
\\u2018QFormLayout\\u2019
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: expected '@;' before \\u2018QFormLayout\\u2019
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:57: error: \\u2018QFormLayout\\u2019 has not been declared
maker2: *** [src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/moc_pluggingui.o] Error 1
maker2: Target @src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/build' not remade because of errors.
maker1: *** [src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/all] Error 2
[ 43%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsselectgeoraster_ui.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
    from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsselectgeoraster_ui.cpp:18:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:22:25: error: qformlayout.h: No such file or directory

In file included from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
    from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsselectgeoraster_ui.cpp:18:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: ISO C++ forbids declaration of
\\u2018QFormLayout\\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: expected \\u2018;\\u2019 before
\\u2018*\\u2019 token
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h: In member function \\u2018void
Ui_OracleConnectGuiBase::setupUi(QDialog*)\\u2019:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: \\u2018formLayout\\u2019 was not
declared in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected type-specifier before
\\u2018QFormLayout\\u2019
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected '@;' before
\\u2018QFormLayout\\u2019
maker2: *** [src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsselectgeoraster_ui.o] Error 1

```

```

[ 44%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsoracleconnect_ui.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
    from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsoracleconnect_ui.cpp:17:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:22:25: error: qformlayout.h: No such file or directory

In file included from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
    from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsoracleconnect_ui.cpp:17:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: ISO C++ forbids declaration of
QFormLayout with no type
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: expected ';' before
QFormLayout token
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h: In member function void
Ui_OracleConnectGuiBase::setupUi(QDialog*):
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: QFormLayout was not
declared in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected type-specifier before
QFormLayout
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected '@;' before
QFormLayout
maker2: *** [src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsoracleconnect_ui.o] Error 1
[ 44%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/moc_qgsoracleconnect_ui.o
In file included from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/../../../../src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
    from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/moc_qgsoracleconnect_ui.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:22:25: error: qformlayout.h: No such file or directory

In file included from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/../../../../src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
    from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/moc_qgsoracleconnect_ui.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: ISO C++ forbids declaration of
QFormLayout with no type
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: expected ';' before
QFormLayout token
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h: In member function void
Ui_OracleConnectGuiBase::setupUi(QDialog*):
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: QFormLayout was not
declared in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected type-specifier before
QFormLayout
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected '@;' before
QFormLayout
maker2: *** [src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/moc_qgsoracleconnect_ui.o] Error 1
maker2: Target '@src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/build' not remade because of errors.
maker1: *** [src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/all] Error 2
[ 45%] Built target rasterterrainplugin
[ 46%] Built target quickprintplugin
[ 47%] Built target coordinatecaptureplugin
[ 48%] Built target dxf2shpconverterplugin
[ 49%] Built target ogrconverterplugin
[ 52%] Built target diagramoverlay
[ 54%] Built target evis
[ 54%] Building CXX object src/plugins/labeling/CMakeFiles/labelingplugin.dir/labeling.o
/home/neteler/software/qgis_trunk/src/plugins/labeling/labeling.cpp: In member function virtual void
[LabelingTool]::canvasPressEvent(QMouseEvent*):
/home/neteler/software/qgis_trunk/src/plugins/labeling/labeling.cpp:83: error: class QMouseEvent has no member named

```

```

\\u2018posF\\u2019
maker2: *** [src/plugins/labeling/CMakeFiles/labelingplugin.dir/labeling.o] Error 1
maker2: Target @src/plugins/labeling/CMakeFiles/labelingplugin.dir/build' not remade because of errors.
maker1: *** [src/plugins/labeling/CMakeFiles/labelingplugin.dir/all] Error 2
[ 56%] Built target spitplugin
[ 57%] Built target gpsimporterplugin
[ 58%] Built target wfsplugin
[ 58%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgspointdialog.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgspointdialog.cpp:35:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:22:25: error: qformlayout.h: No such file
or directory
In file included from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgspointdialog.cpp:35:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:27: error: ISO C++ forbids declaration of
\\u2018QFormLayout\\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:27: error: expected \\u2018;\\u2019
before \\u2018*\\u2019 token
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h: In member function \\u2018void
Ui_QgsGeorefWarpOptionsDialogBase::setupUi(QDialog*)\\u2019:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: \\u2018formLayout\\u2019
was not declared in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: expected type-specifier before
\\u2018QFormLayout\\u2019
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: expected '@;' before
\\u2018QFormLayout\\u2019
maker2: *** [src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgspointdialog.o] Error 1
[ 58%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefwarptionsdialog.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.cpp:16:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:22:25: error: qformlayout.h: No such file
or directory
In file included from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.cpp:16:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:27: error: ISO C++ forbids declaration of
\\u2018QFormLayout\\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:27: error: expected \\u2018;\\u2019
before \\u2018*\\u2019 token
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h: In member function \\u2018void
Ui_QgsGeorefWarpOptionsDialogBase::setupUi(QDialog*)\\u2019:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: \\u2018formLayout\\u2019
was not declared in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: expected type-specifier before
\\u2018QFormLayout\\u2019
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: expected '@;' before
\\u2018QFormLayout\\u2019
maker2: *** [src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefwarptionsdialog.o] Error 1
[ 58%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefwarptionsdialog.o
In file included from
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/../../../../src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/moc_qgsgeorefwarptionsdialog.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:22:25: error: qformlayout.h: No such file
or directory

```

```

In file included from
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/../../src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/moc_qgsgeorefwarptionsdialog.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:27: error: ISO C++ forbids declaration of
\u2018QFormLayout\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:27: error: expected \u2018;\u2019
before \u2018*\u2019 token
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h: In member function \u2018void
Ui_QgsGeorefWarpOptionsDialogBase::setupUi(QDialog*)\u2019:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: \u2018formLayout\u2019
was not declared in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: expected type-specifier before
\u2018QFormLayout\u2019
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: expected '@;' before
\u2018QFormLayout\u2019
maker2: *** [src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefwarptionsdialog.o] Error 1
maker2: Target @src/plugins/georeferencer/CMakeFiles/georefplugin.dir/build' not remade because of errors.
maker1: *** [src/plugins/georeferencer/CMakeFiles/georefplugin.dir/all] Error 2
[ 66%] Built target grassplugin
[ 67%] Built target plugininstaller
[ 67%] Built target mapserverexport
[ 67%] Built target ftools
[ 68%] Built target osmplugin
[ 70%] Built target ftools_tools
maker1: Target @all' not remade because of errors.
make: *** [all] Error 2
make: Target @default_target' not remade because of errors.
[ 0%] Built target svnversion
[ 7%] Built target ui
[ 23%] Built target qgis_core
[ 31%] Built target qgis_gui
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/qgscontinuouscolordialog.o
In file included from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.h:23,
    from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.cpp:20:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:24:25: error: qformlayout.h: No such file or directory
In file included from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.h:23,
    from /home/neteler/software/qgis_trunk/src/app/qgscontinuouscolordialog.cpp:20:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:32: error: ISO C++ forbids declaration of
\u2018QFormLayout\u2019 with no type
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:32: error: expected \u2018;\u2019 before
\u2018*\u2019 token
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h: In member function \u2018void
Ui_QgsContinuousColorDialogBase::setupUi(QDialog*)\u2019:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: \u2018formLayout\u2019 was not declared in
this scope
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: expected type-specifier before
\u2018QFormLayout\u2019
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscontinuouscolordialogbase.h:58: error: expected '@;' before
\u2018QFormLayout\u2019
maker2: *** [src/app/CMakeFiles/qgis.dir/qgscontinuouscolordialog.o] Error 1
maker1: *** [src/app/CMakeFiles/qgis.dir/all] Error 2
make: *** [all] Error 2

```

#9 - 2009-11-20 03:00 AM - Jürgen Fischer

- Status changed from *In Progress* to *Open*

#10 - 2009-11-20 11:50 AM - Tim Sutton

- Status changed from *Open* to *In Progress*

Can you try again with `>= commit:994a5ba8 (SVN r12211)` ? Just paste any remaining errors to this ticket.

☒

Regards

☒

Tim

#11 - 2009-11-20 12:07 PM - Markus Neteler

Thanks Tim. Here we go:

```
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsmaptoolrotatepointsymbols.o
/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp: In member function 'double
[[QgsMapToolRotatePointSymbols]]::calculateAzimut(const QPoint&)':
/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp:258: error: 'atan2' was not declared in this scope

/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp:258: error: 'M_PI' was not declared in this scope

maker2: *** [src/app/CMakeFiles/qgis.dir/qgsmaptoolrotatepointsymbols.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsvectorlayerproperties.o
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/composer/qgscomposer.o
In file included from /home/neteler/software/qgis_trunk/src/app/composer/qgscomposerlegendwidget.h:21,
      from /home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:27:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h: In member function 'void
Ui_QgsComposerLegendWidgetBase::setupUi(QWidget*)':
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h:174: error: 'class QTreeView' has no member named
'setHeaderHidden'
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp: In member function 'void
[[QgsComposer]]::on_mActionExportAsPDF_triggered()':
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:459: error: 'class QPrinter' has no member named 'setPaperSize'

/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:459: error: 'Millimeter' is not a member of 'QPrinter'
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp: In member function 'void
[[QgsComposer]]::on_mActionPrint_triggered()':
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:478: error: 'class QPrinter' has no member named 'setPaperSize'
```

```
/home/neteler/software/qgis_trunk/src/app/composer/qgscomposer.cpp:478: error: 'Millimeter' is not a member of 'QPrinter'
maker2: *** [src/app/CMakeFiles/qgis.dir/composer/qgscomposer.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/composer/qgscomposerlabelwidget.o
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/composer/qgscomposerlegendwidget.o
In file included from /home/neteler/software/qgis_trunk/src/app/composer/qgscomposerlegendwidget.h:21,
      from /home/neteler/software/qgis_trunk/src/app/composer/qgscomposerlegendwidget.cpp:18:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h: In member function 'void
Ui_QgsComposerLegendWidgetBase::setupUi(QWidget*)':
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h:174: error: 'class QTreeView' has no member named
'setHeaderHidden'
maker2: *** [src/app/CMakeFiles/qgis.dir/composer/qgscomposerlegendwidget.o] Error 1
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/moc_qgscontinuouscolordialog.o
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/moc_qgsludialog.o
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/moc_qgscomposerlabelwidget.o
[ 32%] Building CXX object src/app/CMakeFiles/qgis.dir/moc_qgscomposerlegendwidget.o
In file included from /home/neteler/software/qgis_trunk/build/src/app/./././src/app/composer/qgscomposerlegendwidget.h:21,
      from /home/neteler/software/qgis_trunk/build/src/app/moc_qgscomposerlegendwidget.cxx:10:
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h: In member function 'void
Ui_QgsComposerLegendWidgetBase::setupUi(QWidget*)':
/home/neteler/software/qgis_trunk/build/src/app/./ui/ui_qgscomposerlegendwidgetbase.h:174: error: 'class QTreeView' has no member named
'setHeaderHidden'
maker2: *** [src/app/CMakeFiles/qgis.dir/moc_qgscomposerlegendwidget.o] Error 1
maker2: Target @src/app/CMakeFiles/qgis.dir/build' not remade because of errors.
maker1: *** [src/app/CMakeFiles/qgis.dir/all] Error 2

...
[ 42%] Generating ui_plugginguibase.h
Scanning dependencies of target scalebarplugin
[ 43%] Building CXX object src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/plugin.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluggingui.h:15,
      from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/plugin.cpp:52:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:24:25: error: qformlayout.h: No such file or directory

In file included from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluggingui.h:15,
      from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/plugin.cpp:52:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:31: error: ISO C++ forbids declaration of 'QFormLayout' with no
type
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:31: error: expected ';' before '**' token
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h: In member function 'void
Ui_QgsScaleBarPluginGuiBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: 'formLayout' was not declared in this scope

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: expected type-specifier before 'QFormLayout'

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:54: error: expected '@,' before 'QFormLayout'

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:57: error: 'QFormLayout' has not been declared

maker2: *** [src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/plugin.o] Error 1
[ 43%] Building CXX object src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/pluggingui.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/pluggingui.h:15,
      from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/plugin.cpp:12:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_plugginguibase.h:24:25: error: qformlayout.h: No such file or directory
```

```
In file included from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/plugingui.h:15,
      from /home/neteler/software/qgis_trunk/src/plugins/scale_bar/plugingui.cpp:12:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:31: error: ISO C++ forbids declaration of 'QFormLayout' with no
type
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:31: error: expected ';' before '**' token
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h: In member function 'void
Ui_QgsScaleBarPluginGuiBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:54: error: 'formLayout' was not declared in this scope

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:54: error: expected type-specifier before 'QFormLayout'

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:54: error: expected '@;' before 'QFormLayout'

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:57: error: 'QFormLayout' has not been declared

maker2: *** [src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/plugingui.o] Error 1
[ 43%] Building CXX object src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/moc_plugingui.o
In file included from /home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/../../../../src/plugins/scale_bar/plugingui.h:15,
      from /home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/moc_plugingui.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:24:25: error: qformlayout.h: No such file or directory

In file included from /home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/../../../../src/plugins/scale_bar/plugingui.h:15,
      from /home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/moc_plugingui.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:31: error: ISO C++ forbids declaration of 'QFormLayout' with no
type
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:31: error: expected ';' before '**' token
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h: In member function 'void
Ui_QgsScaleBarPluginGuiBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:54: error: 'formLayout' was not declared in this scope

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:54: error: expected type-specifier before 'QFormLayout'

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:54: error: expected '@;' before 'QFormLayout'

/home/neteler/software/qgis_trunk/build/src/plugins/scale_bar/ui_pluginguibase.h:57: error: 'QFormLayout' has not been declared

maker2: *** [src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/moc_plugingui.o] Error 1
maker2: Target @src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/build' not remade because of errors.
maker1: *** [src/plugins/scale_bar/CMakeFiles/scalebarplugin.dir/all] Error 2
[ 43%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsselectgeoraster_ui.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
      from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsselectgeoraster_ui.cpp:18:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:22:25: error: qformlayout.h: No such file or directory

In file included from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
      from /home/neteler/software/qgis_trunk/src/plugins/oracle_raster/qgsselectgeoraster_ui.cpp:18:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: ISO C++ forbids declaration of
'QFormLayout' with no type
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: expected ';' before '**' token
```

```
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h: In member function 'void
Ui_OracleConnectGuiBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: 'formLayout' was not declared in this
scope
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected type-specifier before
'QFormLayout'
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected '@;' before 'QFormLayout'

maker2: *** [src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsselectgeoraster_ui.o] Error 1
[ 44%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsoracleconnect_ui.o
In file included from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
      from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/qgsoracleconnect_ui.cpp:17:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:22:25: error: qformlayout.h: No such file or directory

In file included from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
      from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/qgsoracleconnect_ui.cpp:17:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: ISO C++ forbids declaration of
'QFormLayout' with no type
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: expected ';' before '**' token

/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h: In member function 'void
Ui_OracleConnectGuiBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: 'formLayout' was not declared in this
scope
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected type-specifier before
'QFormLayout'
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected '@;' before 'QFormLayout'

maker2: *** [src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/qgsoracleconnect_ui.o] Error 1
[ 44%] Building CXX object src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/moc_qgsoracleconnect_ui.o
In file included from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/../../../../src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
      from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/moc_qgsoracleconnect_ui.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:22:25: error: qformlayout.h: No such file or directory

In file included from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/../../../../src/plugins/oracle_raster/qgsoracleconnect_ui.h:21,
      from /home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/moc_qgsoracleconnect_ui.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: ISO C++ forbids declaration of
'QFormLayout' with no type
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:27: error: expected ';' before '**' token

/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h: In member function 'void
Ui_OracleConnectGuiBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: 'formLayout' was not declared in this
scope
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected type-specifier before
'QFormLayout'
/home/neteler/software/qgis_trunk/build/src/plugins/oracle_raster/ui_qgsoracleconnectbase.h:45: error: expected '@;' before 'QFormLayout'

maker2: *** [src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/moc_qgsoracleconnect_ui.o] Error 1
maker2: Target @src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/build' not remade because of errors.
maker1: *** [src/plugins/oracle_raster/CMakeFiles/oracleplugin.dir/all] Error 2
```



```

Linking CXX shared module librasterterrainplugin.so
[ 45%] Built target rasterterrainplugin
Linking CXX shared module libquickprintplugin.so
[ 46%] Built target quickprintplugin
Linking CXX shared module libcoordinatecaptureplugin.so
[ 47%] Built target coordinatecaptureplugin
Linking CXX shared module libdxf2shpconverterplugin.so
[ 48%] Built target dxf2shpconverterplugin
Linking CXX shared module libogrconverterplugin.so
[ 49%] Built target ogrconverterplugin
Linking CXX shared module libdiagramoverlay.so
[ 52%] Built target diagramoverlay
Linking CXX shared module libevis.so
[ 54%] Built target evis
Scanning dependencies of target labelingplugin
[ 54%] Building CXX object src/plugins/labeling/CMakeFiles/labelingplugin.dir/labeling.o
/home/neteler/software/qgis_trunk/src/plugins/labeling/labeling.cpp: In member function 'virtual void
[[LabelingTool]]::canvasPressEvent(QMouseEvent*)':
/home/neteler/software/qgis_trunk/src/plugins/labeling/labeling.cpp:83: error: 'class QMouseEvent' has no member named 'posF'

maker2: *** [src/plugins/labeling/CMakeFiles/labelingplugin.dir/labeling.o] Error 1
[ 54%] Building CXX object src/plugins/labeling/CMakeFiles/labelingplugin.dir/pallabeling.o
maker2: Target @src/plugins/labeling/CMakeFiles/labelingplugin.dir/build' not remade because of errors.
maker1: *** [src/plugins/labeling/CMakeFiles/labelingplugin.dir/all] Error 2
Linking CXX shared module libspitplugin.so
[ 56%] Built target spitplugin
Linking CXX shared module libgpsimporterplugin.so
[ 57%] Built target gpsimporterplugin
Linking CXX shared module libwfsplugin.so
[ 58%] Built target wfsplugin
[ 58%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgspointdialog.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgspointdialog.cpp:35:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:22:25: error: qformlayout.h: No such file
or directory
In file included from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgspointdialog.cpp:35:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:27: error: ISO C++ forbids declaration of
'QFormLayout' with no type
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:27: error: expected ';' before '**' token

/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h: In member function 'void
Ui_QgsGeorefWarpOptionsDialogBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: 'formLayout' was not declared
in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: expected type-specifier before
'QFormLayout'
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwarptionsdialogbase.h:40: error: expected '@;' before
'QFormLayout'
maker2: *** [src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgspointdialog.o] Error 1
[ 58%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefwarptionsdialog.o
In file included from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/src/plugins/georeferencer/qgsgeorefwarptionsdialog.cpp:16:

```

```
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:22:25: error: qformlayout.h: No such file
or directory
In file included from /home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:19,
    from /home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.cpp:16:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:27: error: ISO C++ forbids declaration of
'QFormLayout' with no type
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:27: error: expected ';' before '**' token

/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h: In member function 'void
Ui_QgsGeorefWarpOptionsDialogBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:40: error: 'formLayout' was not declared
in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:40: error: expected type-specifier before
'QFormLayout'
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:40: error: expected '@;' before
'QFormLayout'
maker2: *** [src/plugins/georeferencer/CMakeFiles/georefplugin.dir/qgsgeorefwaroptionsdialog.o] Error 1
[ 58%] Building CXX object src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefwaroptionsdialog.o
In file included from
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/../../../../src/plugins/georeferencer/qgsgeorefwaroptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/moc_qgsgeorefwaroptionsdialog.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:22:25: error: qformlayout.h: No such file
or directory
In file included from
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/../../../../src/plugins/georeferencer/qgsgeorefwaroptionsdialog.h:19,
    from /home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/moc_qgsgeorefwaroptionsdialog.cxx:10:
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:27: error: ISO C++ forbids declaration of
'QFormLayout' with no type
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:27: error: expected ';' before '**' token

/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h: In member function 'void
Ui_QgsGeorefWarpOptionsDialogBase::setupUi(QDialog*)':
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:40: error: 'formLayout' was not declared
in this scope
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:40: error: expected type-specifier before
'QFormLayout'
/home/neteler/software/qgis_trunk/build/src/plugins/georeferencer/ui_qgsgeorefwaroptionsdialogbase.h:40: error: expected '@;' before
'QFormLayout'
maker2: *** [src/plugins/georeferencer/CMakeFiles/georefplugin.dir/moc_qgsgeorefwaroptionsdialog.o] Error 1
maker2: Target @src/plugins/georeferencer/CMakeFiles/georefplugin.dir/build' not remade because of errors.
maker1: *** [src/plugins/georeferencer/CMakeFiles/georefplugin.dir/all] Error 2
Linking CXX shared module libgrassplugin.so
[ 66%] Built target grassplugin
[ 67%] Built target plugininstaller
[ 67%] Built target mapserverexport
[ 67%] Built target ftools
[ 68%] Built target osmplugin
[ 70%] Built target ftools_tools
maker1: Target @all' not remade because of errors.
```

```
make: *** [all] Error 2
make: Target '@default_target' not remade because of errors.
[ 0%] Built target svnversion
[ 7%] Built target ui
[ 23%] Built target qgis_core
[ 31%] Built target qgis_gui
[ 31%] Building CXX object src/app/CMakeFiles/qgis.dir/qgsmaptoolrotatepointsymbols.o
/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp: In member function 'double
[[QgsMapToolRotatePointSymbols]::calculateAzimut(const QPoint&)':
/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp:258: error: 'atan2' was not declared in this scope
/home/neteler/software/qgis_trunk/src/app/qgsmaptoolrotatepointsymbols.cpp:258: error: 'M_PI' was not declared in this scope
maker2: *** [src/app/CMakeFiles/qgis.dir/qgsmaptoolrotatepointsymbols.o] Error 1
maker1: *** [src/app/CMakeFiles/qgis.dir/all] Error 2
make: *** [all] Error 2
```

best,
Markus

#12 - 2009-11-28 10:58 AM - Jürgen Fischer

- Resolution set to wontfix

- Status changed from In Progress to Closed

Sorry. Looks like we dropped support for Qt 4.3. Tim is about the change the help viewer to use `[[QtWebkit]]`, which's available started with Qt 4.4.