

QGIS Application - Bug report #21262  
Installed Development Version

2019-02-14 03:04 AM - Philip Schroeder

|   |                        |                                     |
|---|------------------------|-------------------------------------|
| <b>Status:</b>  | Closed                 |                                     |
| <b>Priority:</b>  | Normal                 |                                     |
| <b>Assignee:</b>  | Philip Schroeder       |                                     |
| <b>Category:</b>  | Unknown                |                                     |
| <b>Affected QGIS version:</b>   | 3.5(master)            | <b>Regression?:</b> No              |
| <b>Operating System:</b>  | Debian Linux (testing) | <b>Easy fix?:</b> No                |
| <b>Pull Request or Patch supplied:</b>  | No                     | <b>Resolution:</b> invalid          |
| <b>Crashes QGIS or corrupts data:</b>   | No                     | <b>Copied to github as #:</b> 29080 |
| <b>Description</b>  |                        |                                     |
| <p>I wanted to install QGIS 3.4 on my Debian Linux computer. I looked for instructions and found some, but at the end of two days of struggle, I found I had installed the version 3.5 Developers version instead. Could someone send me instructions for installing the pedestrian version, 3.4, please?</p> |                        |                                     |

History

#1 - 2019-02-14 09:06 AM - Giovanni Manghi

- Resolution set to invalid
- Status changed from Open to Closed

<https://www.qgis.org/en/site/forusers/alldownloads.html#debian-ubuntu>

just add the

<https://qgis.org/debian>

repository.