

# QGIS Application - Bug report #21272

## Duplicate QgsFeatureId in Oracle DB Table

2019-02-14 02:34 PM - Michael Kuerbs

|   |                                       |
|---|---------------------------------------|
| <b>Status:</b> Closed   |                                       |
| <b>Priority:</b> High   |                                       |
| <b>Assignee:</b>  |                                       |
| <b>Category:</b> DB Manager   |                                       |
| <b>Affected QGIS version:</b> 3.4.2   | <b>Regression?:</b> No                |
| <b>Operating System:</b> Win 7  | <b>Easy fix?:</b> No                  |
| <b>Pull Request or Patch supplied:</b> No   | <b>Resolution:</b> no timely feedback |
| <b>Crashes QGIS or corrupts data:</b> No  | <b>Copied to github as #:</b> 29090   |
| <b>Description</b>  |                                       |
| Why a Oracle Table can have duplicate FeatureId's?                                      |                                       |
| It can be checked with TLUGProcessing --> run Tlug:Select_Duplicates Expression: "\$id" |                                       |

### History

#### #1 - 2019-02-14 04:13 PM - Jürgen Fischer

- Status changed from Open to Feedback

include steps to reproduce

#### #2 - 2019-03-09 09:37 AM - Giovanni Manghi

- Resolution set to no timely feedback

- Status changed from Feedback to Closed

Closing for lack of feedback.