

QGIS Application - Bug report #21356

Processing - Export to PostgreSQL (available connections)

2019-02-23 01:02 PM - Rocco Pispico

Status:	Open	
Priority:	Normal	
Assignee:	Giovanni Manghi	
Category:	Processing/GDAL	
Affected QGIS version:	3.4.4	Regression?: No
Operating System:	Ubuntu 16.04	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 29174
Description		
<p>This script has several problems especially when use <i>iterate over...</i></p> <ul style="list-style-type: none">- doesn't create multiple layers but only a single layer, if overwrite is checked remain only the last feature;- if the source layer is a postgres layer, the name of new one layer is a concatenation of <new schema>.<source schema>.<table name> instead of <new schema>.<table name>;- if the source is postgres doesn't check if source layer and new layer are the same. <p>I think that the names of output layers could be created in a <i>composer</i> in order to have maximum flexibility.</p> <p>Finally two cosmetic wish:</p> <ul style="list-style-type: none">- the counter goes from 0 to number of feature instead from 1 to number of feature;- change the iterator icon is in a checkbox widget.		

History

#1 - 2019-02-23 01:27 PM - Giovanni Manghi

- Operating System deleted (W10 and ubuntu)
- Assignee deleted (Alessandro Pasotti)
- Category changed from Processing/QGIS to Processing/GDAL

Please, 1 issue per ticket (and a meaningful subject).

#2 - 2019-02-23 01:27 PM - Giovanni Manghi

- Assignee set to Giovanni Manghi