QGIS Application - Bug report #21611 QGis 3.4 fails to apply style file to rasters

2019-03-18 04:55 PM - Luís de Sousa

Status: Open Priority: High

Assignee:

Category: Symbology

Affected QGIS version:3.6.1 Regression?: Yes
Operating System: Easy fix?: No

Pull Request or Patch supplied: Resolution:

Crashes QGIS or corruptes data: Copied to github as #: 29427

Description

I need have a number of .qml style files that I need to apply on raster maps. These .qml files were created with QGis itself, here is an example:

https://files.isric.org/soilgrids/legends/ORCDRC.qml

In QGis 3.4 I apply this style by accessing the layer context menu, then following *Properties -> Symbology -> Style* and selecting the correct .qml file. While the *Properties* menu is still on the map canvas shows the style correctly applied (Figure 1). But when I click OK and the *Properties* dialogue closes the layer disappears (F1gure 2). If I open the *Properties* dialogue again no style is displayed.

Any cartograms (layouts) created with this layer are also affected.

Related issues:

Duplicated by QGIS Application - Bug report # 21880: Style file (QML) can't b... Closed 2019-04-18

History

#1 - 2019-03-20 01:29 PM - Giovanni Manghi

- Priority changed from Normal to High

In 3.6 I think I see even another wrong behavour: when I load the style you linked then on the map is applied correctly, but in the styles properties dialog a wrong color ramp is applied, so when the the dialog is closed with "ok" the wrong style is also applied.

#2 - 2019-04-18 01:45 PM - Giovanni Manghi

- Duplicated by Bug report #21880: Style file (QML) can't be used to add styles to rasters added

#3 - 2019-04-18 01:46 PM - Giovanni Manghi

- Operating System deleted (Ubuntu 18.04)
- Affected QGIS version changed from 3.4.5 to 3.6.1

Files

QGis_Styles02.png	84.1 KB	2019-03-18	Luís de Sousa
QGis_Styles01.png	442 KB	2019-03-18	Luís de Sousa

2024-04-20 1/1