

QGIS Application - Bug report #21686

SVG Point symbols missing in GetLegendGraphics Responses

2019-03-28 11:38 AM - Andreas Neumann

Status:	Rejected	
Priority:	Normal	
Assignee:	Alessandro Pasotti	
Category:	QGIS Server	
Affected QGIS version:	3.6.1	Regression?: Yes
Operating System:	unspecified	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: invalid
Crashes QGIS or corrupts data:	No	Copied to github as #: 29502
Description		
<p>In QGIS Server 3.6 (most likely also in master, but not tested), GetLegendGraphics response images do not correctly display our SVG symbols in the GetLegendGraphics image.</p> <p>Simple shape symbols (e.g. the red circle for category 'Bahnhof') are correctly displayed, but, SVG symbols not.</p> <p>In the GetMap request, the SVG symbols are correctly rendered.</p> <p>URL to QGIS 3.6 based WMS service: https://services.geo.zg.ch/ows/TestSVGSymbols</p> <p>I don't know exactly if this is a general QGIS server 3.x problem or specific to our Docker/NGINX configuration?</p>		

History

#1 - 2019-03-29 08:38 AM - Andreas Neumann

- Subject changed from Point symbols missing in GetLegendGraphics Request to SVG Point symbols missing in GetLegendGraphics Responses

#2 - 2019-04-02 10:58 AM - Alessandro Pasotti

- Assignee set to Alessandro Pasotti

- Status changed from Open to Feedback

I'm not really sure about how to fix this, and even if that's a bug: the issue is triggered by the symbol renderer which has a data-defined property on symbol size with an expression that is based on @map_scale property.

But, in case of a getlegendgraphic request, there is no map and there is no map_scale so the expression evaluation obviously fails, in other words, the getlegendgraphic request does not have all the information required to calculate the map_scale and to determine the symbol size.

I'm not sure about the best approach here. I could try to fake the request and inject a map_scale into the context based on server full extent and an arbitrary map size that makes sense on the web (1024x768?).

Another option would be to ignore the data-defined property in case the context does not contain the information required to compute the expression successfully (but this would mean messing up with core routines of symbol drawing and I don't really recommend it, I'd rather prefer a server-only patch to handle this case).

I'll try the server approach first.

#3 - 2019-04-02 11:37 AM - Alessandro Pasotti

- Resolution set to invalid

- Status changed from Feedback to Rejected

Ok, after some more thoughts and an enlightning talk with Nyall, I decided that this is not a bug.

The behavior of expression evaluation is designed to not raise an exception when a variable is undefined but evaluate it to NULL instead.

This means that in the attached test case, the last rule (ELSE) is triggered and it returns a 0 as the symbol size.

The solution is to add an extra case to the expression:

```
CASE
WHEN @map_scale <= 2000 THEN 9
WHEN @map_scale > 2000 AND @map_scale <= 5000 THEN 8
WHEN @map_scale > 5000 AND @map_scale <= 10000 THEN 7.5
WHEN @map_scale > 10000 AND @map_scale <= 20000 THEN 6.5
WHEN @map_scale > 20000 AND @map_scale <= 100000 THEN 6
WHEN @map_scale > 100000 AND @map_scale <= 200001 THEN 5.5
WHEN @map_scale IS NULL THEN 8
ELSE 0
END
```

#4 - 2019-04-02 01:24 PM - Andreas Neumann

Hi Alessandro,

Just tested.

Yes - introducing the ELSE rule with a non-zero size value fixes the issue.

Thanks for investigating!

Andreas

Files

GetLegendGraphicsProblem.png	22.6 KB	2019-03-28	Andreas Neumann
TestSVGSymbols.qgs	32.2 KB	2019-03-28	Andreas Neumann
haltestellen_1700.backup	12.2 KB	2019-03-28	Andreas Neumann