QGIS Application - Bug report #21879

Dragging layers too high in layers panel will reload them, potentially losing data

2019-04-17 11:00 PM - Johannes Kroeger

Status: Open Priority: High

Assignee:

Category: GUI

Affected QGIS version:3.7(master)Regression?:NoOperating System:Linux? XFCE?Easy fix?:No

Pull Request or Patch supplied: Resolution:

Crashes QGIS or corruptssdata: Copied to github as #: 29694

Description

Dragging layers too high in layers panel will reload(?) them, potentially losing data

- 1. Have at least two layers loaded and visible in the layers panel.
- 2. In the layers panel drag the lower layer up so high above the other layer, into the icons pane just above, so that the "insertion marker line" just disappeared and is not visible anymore.
- 3. Release the layer.

The layer will be reloaded. You will lose all its settings. If the layer was a memory layer, you will lose its contents!

See the attached video for an example.

History

#1 - 2019-04-18 10:24 AM - Johannes Kroeger

- Operating System set to Linux? XFCE?

On Windows the cursor turns into a red stop sign when hovering over those icons with a layer in hand. My description is for Linux (Archlinux, XFCE). I am not sure if is a OS or DE/WM thing. Please try in other environments and MacOS.

#2 - 2019-04-18 01:38 PM - Giovanni Manghi

Cannot replicate on KDE/3.6.1

Files

layer killer.mkv 57.1 KB 2019-04-17 Johannes Kroeger

2024-04-23 1/1