## QGIS Application - Bug report #21949

## Processing OGR based tools: encoding changed in outputs

2019-04-28 11:34 AM - Bernd Vogelgesang

Status: Open Priority: High

Assignee:

Category: Processing/OGR

Affected QGIS version: 3.6.2Regression?:YesOperating System:Linux MintEasy fix?:No

Pull Request or Patch supplied: Resolution:

Crashes QGIS or corrupts data: Copied to github as #: 29764

#### Description

When trying to buffer a point dataset with the GDAL buffer vector function, the attributes get obviously encoded to sth else than the original UTF-8.

All special characters become a ? on black rhombic background. When manually setting the resulting layer to windows1252, the special characters are visible again.

This seems to apply to other GDAL/OGR functions besides buffer as well.

Besides that I would like to second Tobias's feature request #21279 to change the output format from ESRI shapefile to GPKG, cause shape format (dbase) might cripple any GPKG-based workflow. And as GPKG is UTF-8 by default, the encoding issues would/could/should be gone as well, I hope.

QGIS 3.6.2 on Linux Mint

## History

### #1 - 2019-04-28 11:40 AM - Jürgen Fischer

- Description updated

#### #2 - 2019-05-01 06:54 PM - Giovanni Manghi

- Crashes QGIS or corrupts data changed from Yes to No
- Priority changed from Normal to High

Confirmed also here (same OS and same QGIS version). I also think this wasn't an issue in the past. Note: applying manually ISO8859-1 also "works".

# #3 - 2019-05-01 06:54 PM - Giovanni Manghi

- Subject changed from OGR processing: Encoding changed from UTF-8 to windows1252 to Processing OGR based tools: encoding changed in outputs

2024-03-20 1/1