

QGIS Application - Bug report #21954
change data source and style gets overridden

2019-04-29 04:05 PM - Gavin Fleming

Status:	Feedback	
Priority:	Normal	
Assignee:		
Category:	Symbology	
Affected QGIS version:	3.6.2	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 29769
Description		
<p>I created a project whose layers came from a locally available PostGIS connection (replication slave).</p> <p>When I opened the project on another network I had to change the PostGIS source to the replication master host.</p> <p>The layers loaded fine but with their default styles - my layer styles were overridden.</p> <p>Expected behaviour: replacing a layer's source should not affect the style.</p>		
Related issues:		
Duplicated by QGIS Application - Bug report # 22089: .qgz symbolisation fails...		Closed 2019-05-16
Duplicated by QGIS Application - Bug report # 22093: Layer style is not maint...		Closed 2019-05-16

History

#1 - 2019-04-29 04:19 PM - Alessandro Pasotti

- Status changed from Open to Feedback

Can you please explain step-by-step what you did after loading the "bad" project? (a short video might also help)

Can you please attach a test project and minimal DB dump to replicate this issue?

#2 - 2019-04-30 03:37 AM - Nyall Dawson

Alessandro - I'm guessing this is because the layer has a default style set on the db, and it's getting re-applied after the call to change to layer's uri.

#3 - 2019-04-30 09:21 AM - Alessandro Pasotti

@Nyall thank you for the clarification, I totally misunderstood "default style" and I thought it was the random style applied to new layers.

#4 - 2019-05-16 09:00 AM - Jürgen Fischer

- Duplicated by Bug report #22089: .qgz symbolisation fails when path to data is adjusted at startup added

#5 - 2019-05-16 03:13 PM - Jürgen Fischer

- Duplicated by Bug report #22093: Layer style is not maintained when changing windows folder added