

QGIS Application - Bug report #22070

QSettings(): /Projections/ ... defaultBehavior or defaultBehaviour?

2019-05-14 09:42 AM - Juan Manuel Perez

Status: Closed	
Priority: Low	
Assignee:	
Category: GUI	
Affected QGIS version: 3.4.7	Regression?: No
Operating System: Windows 7 64 bits	Easy fix?: No
Pull Request or Patch supplied: No	Resolution: invalid
Crashes QGIS or corrupts data: No	Copied to github as #: 29883
Description	
<p>As of QGIS 2.18, one could ask in python the default behavior for handling layers without specific CRS: QSettings().value('/Projections/defaultBehaviour')</p> <p>That would return 'prompt', 'useProject',...</p> <p>As of Qgis 3.4, one should now ask not for 'defaultBehaviour' but for 'defaultBehavior'.</p> <p>I only wanted to know if this change is going to be kept, or it was unintended and it is going to be reverted.</p>	

History

#1 - 2019-05-14 10:20 AM - Juan Manuel Perez

Tested in 3.7 Nightly and it works as in Qgis 3.4

#2 - 2019-05-17 07:37 PM - Giovanni Manghi

- Resolution set to invalid

- Status changed from Open to Closed

Please raise questions in the QGIS developers mailing list.