

QGIS Application - Bug report #2400

FTBFS: sipcorepart0 on Debian/Lenny

2010-01-29 03:14 AM - hamish -

Status: Closed	
Priority: Low	
Assignee: nobody -	
Category: Build/Install	
Affected QGIS version:	Regression?: No
Operating System: Debian	Easy fix?: No
Pull Request or Patch supplied:	Resolution: fixed
Crashes QGIS or corrupts data:	Copied to github as #: 12460

Description

Hi,

I'm trying to compile trunk on Debian/Lenny using the supplied debian/control.lenny + debuild.

I'm getting this error. no idea what it means.

```
...
[ 63%] Building CXX object python/CMakeFiles/python_module_qgis_core.dir/core/sipcorepart0.cpp.o
/usr/local/src/qgis/svn/trunk/python/./src/core/symbology-ng/qgssymbolv2.h: In member function 'QgsSymbolV2RenderContext&
[[QgsSymbolV]]2RenderContext::operator=(const [[QgsSymbolV]]2RenderContext&)':
/usr/local/src/qgis/svn/trunk/python/./src/core/symbology-ng/qgssymbolv2.h:104: error: non-static reference member
'QgsRenderContext& [[QgsSymbolV]]2RenderContext::mRenderContext', can't use default assignment operator
sipcorepart0.cpp: In function 'void assign_QgsSymbolV2RenderContext(void*, const void*)':
sipcorepart0.cpp:13600: note: synthesized method 'QgsSymbolV2RenderContext&
[[QgsSymbolV]]2RenderContext::operator=(const [[QgsSymbolV]]2RenderContext&)' first required here
maker3: *** [python/CMakeFiles/python_module_qgis_core.dir/core/sipcorepart0.cpp.o] Error 1
maker3: Leaving directory @/usr/local/src/qgis/svn/trunk/debian/build'
maker2: *** [python/CMakeFiles/python_module_qgis_core.dir/all] Error 2
maker2: Leaving directory @/usr/local/src/qgis/svn/trunk/debian/build'
maker1: *** [all] Error 2
maker1: Leaving directory @/usr/local/src/qgis/svn/trunk/debian/build'
make: *** [build-stamp] Error 2
debuild: fatal error at line 1301:
```

?

thanks,
Hamish

History

#1 - 2010-01-29 04:15 AM - Martin Dobias

- Resolution set to fixed

- Status changed from Open to Closed

This should have been fixed in .

