

## QGIS Application - Bug report #2533

### Attribute Table advanced search doesn't distinguish between 0 and NULL

2010-03-08 03:26 AM - Horst Düster

<b>Status:</b> Closed	
<b>Priority:</b> Low	
<b>Assignee:</b> nobody -	
<b>Category:</b> Vectors	
<b>Affected QGIS version:</b>	<b>Regression?:</b> No
<b>Operating System:</b> RedHat	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b> fixed
<b>Crashes QGIS or corrupts data:</b>	<b>Copied to github as #:</b> 12593
<b>Description</b>	
<ol style="list-style-type: none"><li>1. open the attached shape</li><li>2. open attribute table</li><li>3. open Advanced search</li><li>4. select attribute Hoehenbest = 0</li><li>5. =&gt; all records with value 0 and NULL are selected</li></ol> <p>With Hoehenbest = 1 records with value NULL are not selected. This behaviour only appears with Advances search in attribute table. All other search methods are working correct.</p>	

#### Associated revisions

##### Revision 687bf267 - 2010-03-08 06:51 PM - Jürgen Fischer

[FEATURE] support NULL values in search strings (fixes #2533)

git-svn-id: <http://svn.osgeo.org/qgis/trunk/qgis@13023> c8812cc2-4d05-0410-92ff-de0c093fc19c

##### Revision 0e72bcbb - 2010-03-08 06:51 PM - Jürgen Fischer

[FEATURE] support NULL values in search strings (fixes #2533)

git-svn-id: <http://svn.osgeo.org/qgis/trunk@13023> c8812cc2-4d05-0410-92ff-de0c093fc19c

#### History

##### #1 - 2010-03-08 09:51 AM - Jürgen Fischer

- Resolution set to fixed

- Status changed from Open to Closed

fixed in commit:0e72bcbb (SVN r13024).

#### Files

test_shape.zip	1.33 KB	2010-03-08	Horst Düster
----------------	---------	------------	--------------