

QGIS Application - Bug report #2555

QGIS show attribute table empty with postgres

2010-03-15 11:57 AM - aperi2007 -

| | |
|--|-------------------------------------|
| Status: Closed | |
| Priority: Low | |
| Assignee: nobody - | |
| Category: Data Provider | |
| Affected QGIS version: | Regression?: No |
| Operating System: Windows | Easy fix?: No |
| Pull Request or Patch supplied: | Resolution: fixed |
| Crashes QGIS or corrupts data: | Copied to github as #: 12615 |

Description

Using this code to create and fill a table on postgres:

```
DROP TABLE IF EXISTS public.a_multilines;
CREATE TABLE public.a_multilines ( id serial PRIMARY KEY, codice VARCHAR, classe VARCHAR);
SELECT [[AddGeometryColumn]]('public','a_multilines', 'geom', 3003, 'MULTILINESTRING', 2 );

DROP INDEX IF EXISTS public.idx_geom_gist_a_multilines;
CREATE INDEX idx_geom_gist_a_multilines ON public.a_multilines using gist ("geom" gist_geometry_ops);

DROP INDEX IF EXISTS public.idx_codice_a_multilines;
CREATE INDEX idx_codice_a_multilines ON public.a_multilines(codice);

DROP INDEX IF EXISTS public.idx_classe_a_multilines;
CREATE INDEX idx_classe_a_multilines ON public.a_multilines(classe);

insert into public.a_multilines (codice,classe,geom) values('pippo','pippo2',ST_GeomFromText('MULTILINESTRING',3003));

Then
QGIS (r13054) show the attribute table empty.
Instead an identify on the line show the rights values.
```

Associated revisions

Revision 9d6fe104 - 2010-03-15 08:25 PM - Jürgen Fischer

fix #2555

git-svn-id: <http://svn.osgeo.org/qgis/trunk/qgis@13059> c8812cc2-4d05-0410-92ff-de0c093fc19c

Revision 172f28b6 - 2010-03-15 08:25 PM - Jürgen Fischer

fix #2555

git-svn-id: <http://svn.osgeo.org/qgis/trunk/qgis@13059> c8812cc2-4d05-0410-92ff-de0c093fc19c

History

#1 - 2010-03-15 12:25 PM - Jürgen Fischer

- *Resolution set to fixed*
- *Status changed from Open to Closed*

fixed in commit:172f28b6 (SVN r13060).