

QGIS Application - Feature request #2588

Custom CRS sqlite3 query error

2010-03-24 04:08 PM - sowelu -

Status:	Closed	
Priority:	Low	
Assignee:	nobody -	
Category:	Projection Support	
Pull Request or Patch supplied:		Resolution: fixed
Easy fix?:	No	Copied to github as #: 12648
Description <p>There is an error in the sqlite3 query that selects custom CRS from qgis.db. The query tries to get the auth_id and auth_name fields, which don't exist. It doesn't query the epsg field, which does exist. Note that the insert queries for tbl_srs don't affect any of these fields.</p> <p>As a result, if you set your map canvas or layer to a custom crs it doesn't make it into the project file. Also, the dialogs don't have the correct default custom crs set when you open them.</p> <p>This patch removes the auth_id & auth_name fields and puts in the epsg field. It works on Kubuntu 9.10, QGIS trunk r13139.</p> <p>Alternatively, the database structure could be in error.</p> <p>Cheers,</p> <p>Roland</p>		

Associated revisions

Revision 5f21db70 - 2010-03-25 01:56 AM - Jürgen Fischer

fix #2588

git-svn-id: <http://svn.osgeo.org/qgis/trunk/qgis@13155> c8812cc2-4d05-0410-92ff-de0c093fc19c

Revision 812c5572 - 2010-03-25 01:56 AM - Jürgen Fischer

fix #2588

git-svn-id: <http://svn.osgeo.org/qgis/trunk@13155> c8812cc2-4d05-0410-92ff-de0c093fc19c

History

#1 - 2010-03-24 05:57 PM - Jürgen Fischer

- Resolution set to fixed
- Status changed from Open to Closed

fixed in commit:812c5572 (SVN r13156).

Files

CustomCRSQuery_Patch.txt	2.06 KB	2010-03-24	sowelu -
--------------------------	---------	------------	----------