

# QGIS Application - Feature request #2588

## Custom CRS sqlite3 query error

2010-03-24 04:08 PM - sowelu -

<b>Status:</b> Closed	
<b>Priority:</b> Low	
<b>Assignee:</b> nobody -	
<b>Category:</b> Projection Support	
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b> fixed
<b>Easy fix?:</b> No	<b>Copied to github as #:</b> 12648
<b>Description</b>	
<p>There is an error in the sqlite3 query that selects custom CRS from qgis.db. The query tries to get the auth_id and auth_name fields, which don't exist. It doesn't query the epsg field, which does exist. Note that the insert queries for tbl_srs don't affect any of these fields.</p> <p>As a result, if you set your map canvas or layer to a custom crs it doesn't make it into the project file. Also, the dialogs don't have the correct default custom crs set when you open them.</p> <p>This patch removes the auth_id &amp; auth_name fields and puts in the epsg field. It works on Kubuntu 9.10, QGIS trunk r13139.</p> <p>Alternatively, the database structure could be in error.</p> <p>Cheers,</p> <p>Roland</p>	

### Associated revisions

#### Revision 5f21db70 - 2010-03-25 01:56 AM - Jürgen Fischer

fix #2588

git-svn-id: <http://svn.osgeo.org/qgis/trunk/qgis@13155> c8812cc2-4d05-0410-92ff-de0c093fc19c

#### Revision 812c5572 - 2010-03-25 01:56 AM - Jürgen Fischer

fix #2588

git-svn-id: <http://svn.osgeo.org/qgis/trunk@13155> c8812cc2-4d05-0410-92ff-de0c093fc19c

### History

#### #1 - 2010-03-24 05:57 PM - Jürgen Fischer

- Resolution set to fixed
- Status changed from Open to Closed

fixed in commit:812c5572 (SVN r13156).

### Files

CustomCRSQuery_Patch.txt	2.06 KB	2010-03-24	sowelu -
--------------------------	---------	------------	----------