QGIS Application - Bug report #2636 Connection to CSV layer cannot be restored if CSV is moved

2010-04-08 07:49 AM - Maxim Dubinin

Status: Closed
Priority: Low
Assignee: gjm -

Category: Data Provider

Affected QGIS version:

Operating System: Windows

Pull Request or Patch supplied:

Crashes QGIS or corrupts data:

Regression?: No

Easy fix?: No

Resolution: fixed

Copied to github as #: 12696

Description

- 1. Create project
- 2. Create a layer from csv
- 3. Save project
- 4. Close QGIS
- 5. Move csv somewhere else
- 6. Open saved project
- 7. When asked to find a layer, try to choose CSV from where it was moved

History

#1 - 2010-07-19 12:21 PM - gjm -

Works for me when I open csv layer through the open vector method. It doesn't work when I open a csv file using the delimited text plugin. Which method was causing the problem for you?

#2 - 2011-03-05 03:12 AM - Paolo Cavallini

Could you please check if it si still true, otherwise closing it? Thanks.

#3 - 2011-03-05 09:09 AM - Alexander Bruy

This is true when point layer created with Delimited Text plugin. When CSV opened as geometryless layer with Open Vector all works.

#4 - 2011-04-16 05:04 AM - Anne Ghisla

- Resolution set to fixed
- Status changed from Open to Closed

With commit:880088c1 (SVN r15704) (and probably older revisions, but I didn't test), moving the CSV file raises a "Handle bad layers" dialog, and allows to find the files created both by Delimited Text and Open Vector.

2025-07-06 1/2

2025-07-06 2/2