

QGIS Application - Bug report #3908

WMS Identify fails on mixed queryable/non-queryable sublayers

2006-03-24 01:02 PM - Brendan Morley -

Status: Closed	
Priority: Low	
Assignee: Brendan Morley -	
Category: Web Services clients/WMS	
Affected QGIS version:	Regression?: No
Operating System: All	Easy fix?: No
Pull Request or Patch supplied:	Resolution: fixed
Crashes QGIS or corrupts data:	Copied to github as #: 13932
Description	
<p>The identify tool is disabled if all WMS layers from a server have queryable=0, which is fine. However if some layers are queryable=1, the identify tool is enabled, which is also fine.</p> <p>However if somebody uses the Identify tool in the second scenario, the query back to the server currently queries on all visible layers, not just the queryable=1 ones. This results in an error back from the WMS server.</p> <p>Resolution would be to filter the list of layers sent to the server so that only the queryable=1 subset is sent.</p>	

History

#1 - 2006-03-26 12:01 AM - Brendan Morley -

- Status changed from Open to In Progress

#2 - 2006-07-16 06:20 PM - Brendan Morley -

- Resolution set to fixed

- Status changed from In Progress to Closed

Fixed in commit:2b799141 (SVN r5607).

#3 - 2009-08-22 12:46 AM - Anonymous

Milestone Version 0.8 deleted