

QGIS Application - Bug report #4134  
trying to connect to a non-spatialite sqlite db makes the mouse pointer into an hourglass

2011-08-02 07:14 PM - Alister Hood

Status:	Closed	
Priority:	Low	
Assignee:		
Category:	GUI	
Affected QGIS version:		Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution: worksforme
Crashes QGIS or corrupts data:		Copied to github as #: 14114
Description		
<p>Click "Layer-&gt;Add spatialite layer-&gt;New", select an sqlite database which is <i>not</i> a spatialite database (e.g. ~/.qgis/qgis.db), and click "Connect".</p> <p>You will get an error message:</p> <p>Failure exploring tables from: C:/Documents and Settings/alister.hood/.qgis/rasterCatalog.sqlite</p> <p>no such table: geometry_columns</p> <p>The mouse cursor will now be changed to an hourglass, and the only way you can fix it seems to be to restart QGIS.</p> <p>I am using trunk on Win XP if that makes a difference.</p>		

History

#1 - 2011-08-03 09:32 AM - Goyo D

I am using trunk on Win XP if that makes a difference.

It doesn't. The same on Ubuntu Natty, QGis trunk from qgis repo.

#2 - 2011-12-09 09:51 AM - Alexander Bruy

- Resolution set to worksforme
- Status changed from Open to Closed

Seems this fixed now in trunk. Reopen if necessary