

## QGIS Application - Bug report #4401

### debian build - forgotten dependancy

2011-10-18 06:13 AM - Darafei Praliaskouski

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Build/Install	
<b>Affected QGIS version:</b>		<b>Regression?:</b> No
<b>Operating System:</b>		<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>		<b>Resolution:</b> invalid
<b>Crashes QGIS or corrupts data:</b>		<b>Copied to github as #:</b> 14333
<b>Description</b>		
<p>dpkg-buildpackage doesn't check for "libspatialindex-dev" and "libspatialindex1" presence in system in the very beginning, but fails later, on building stage, with:</p> <p>CMake Error: The following variables are used in this project, but they are set to NOTFOUND. Please set them or make sure they are set and tested correctly in the CMake files: SPATIALINDEX_INCLUDE_DIR     used as include directory in directory /home/kom/osm/Quantum-GIS/src/core SPATIALINDEX_LIBRARY     linked by target "qgis_core" in directory /home/kom/osm/Quantum-GIS/src/core</p>		

#### History

##### #1 - 2011-10-20 11:43 PM - Jürgen Fischer

- Resolution set to invalid
- Status changed from Open to Closed
- Subject changed from debain build - forgotten dependancy to debian build - forgotten dependancy

That's intentional. Try running dpkg-buildpackage twice or use pbuilder.

The default debian/control will be replaced with debian/control.\$DIST of the distribution - and that contains the actual build dependencies.

The nightly builds work fine with this.