

# QGIS Application - Bug report #4544

## graduated classification

2011-11-16 08:04 AM - Rosario Alfaro

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Symbology	
<b>Affected QGIS version:</b> master	<b>Regression?:</b> No
<b>Operating System:</b>	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b> worksforme
<b>Crashes QGIS or corrupts data:</b>	<b>Copied to github as #:</b> 14460

### Description

I joined a shape file with a dbf file and wanted to do a classification of one of the columns. When I used a "categorized" classification, I can see that the values of the column are OK, however, when I used the "Graduated" classification for the same column, the software take values of another column which doesn't correspond to the column I want. How this problem could be solved?

Thank you,

### History

#### #1 - 2011-11-16 08:15 AM - Giovanni Manghi

- Category set to Symbology

if it is a bug (and should be) you have to wait for a fix. If it is critical for you then it is suggested to support the bug fixing

<http://www.qgis.org/wiki/Bugs>

#### #2 - 2011-12-16 02:09 PM - Giovanni Manghi

- Target version set to Version 1.7.4

#### #3 - 2012-01-11 10:01 AM - Alexander Bruy

- Crashes QGIS or corrupts data set to No

- Affected QGIS version set to master

- Resolution set to worksforme

- Status changed from Open to Closed

Tested with master. Shapefile + joined cvs, classification with graduated and categorized renderers works fine. Please reopen if necessary and provide sample dataset.