# QGIS Application - Bug report #4909 qqis hang when postgres close the connection

2012-01-29 12:34 PM - aperi2007 -

Status: Closed Priority: Normal

Assignee: Category:

Affected QGIS version:masterRegression?:NoOperating System:Easy fix?:No

Pull Request or Patch supplied: Resolution:

Crashes QGIS or corrupts data: Copied to github as #: 14716

#### Description

Using agis and postgres/postgis.

I notice that when I stop my work for a lot of time (40-50 minutes), postgres logically close the connection for client inactivity. When I try to continue my work, ggis will hang waiting postgres will response. And is necessary to kill ggis and restart it.

I guess actually qgis open the connection to the postgres when I add a postgres table to the canvas and i presume it will remain open forever.

Instead agis should test the connection every 10-15 minutes for every distinct istance of postgres used in the canvas and try to reopen the connection if it is find closed.

Closed

### **Related issues:**

Duplicates QGIS Application - Bug report # 3315: editing the attribute table ...

#### **Associated revisions**

Revision 26239209 - 2012-01-30 11:11 PM - Jürgen Fischer

postgresql provider: check connection state before running PQexec (fixes #4909)

### History

## #1 - 2012-01-29 12:45 PM - Jürgen Fischer

Which version do you use? master should survive connection losses.

### #2 - 2012-01-30 04:51 AM - Giovanni Manghi

Hi Jurgen, I'm using master. Just tested a 1 hour idle time, after that any action makes qgis hang.

### #3 - 2012-01-30 09:09 AM - Jürgen Fischer

Giovanni Manghi wrote:

Hi Jurgen, I'm using master. Just tested a 1 hour idle time, after that any action makes qgis hang.

Not reproducable here. And debug output?

2024-03-20 1/3

## #4 - 2012-01-30 09:17 AM - Giovanni Manghi

- File filipe\_rafael\_13\_12\_2011.qgs added

Not reproducable here. And debug output?

try the attached project (with only postgis data). Let me know if it works fine for you.

#### #5 - 2012-01-30 09:12 PM - Jürgen Fischer

- % Done changed from 0 to 100
- Status changed from Open to Closed

Fixed in changeset commit: "262392093356f7600089bf44d19984b56ec85bab".

### #6 - 2012-03-05 07:13 AM - aperi2007 -

- Status changed from Closed to Reopened

oops, it is again here.

I still experience with this bug.

After a while, when postgres close the connection, qgis hang because don't re-open the connection.

I use postgres 9.1.3 and postgis 2.0 beta2. Also I use qgis-dev (for windows ) 3a2c0e9.

Andrea.

#### #7 - 2012-03-05 07:17 AM - Giovanni Manghi

it happens also with postgres 8.4/postgis 1.5 and qgis master

## #8 - 2012-03-14 05:30 AM - Giovanni Manghi

I use postgres 9.1.3 and postgis 2.0 beta2. Also I use ggis-dev (for windows ) 3a2c0e9.

Andrea.

This may be not a QGIS problem after all. What I have noticed is that if I connect to a PostgreSQL server that is the same "local" network (in my case is the pretty big network of a University) then the connection does not fall. If I connect to the same server but from a remote connection then the connection falls after a while. I say that is probably not a QGIS problem because the same thing happens also with PgAdmin.

## #9 - 2012-09-04 12:10 PM - Paolo Cavallini

2024-03-20 2/3

- Target version set to Version 2.0.0

## #10 - 2013-10-01 07:19 AM - Jürgen Fischer

- Status changed from Reopened to Closed

 ${\it Fixed in changeset commit:} "262392093356f7600089bf44d19984b56ec85bab". \\$ 

## Files

filipe\_rafael\_13\_12\_2011.qgs 176 KB 2012-01-30 Giovanni Manghi

2024-03-20 3/3