

QGIS Application - Bug report #6017


Qgis builds broken histogram if input src image contains <no-data> values

2012-07-11 08:52 AM - Nikos Ves

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Rasters	
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution: duplicate
Crashes QGIS or corrupts data:		Copied to github as #: 15402

Description

I've calculated an enviromental index, and because of the input data many pixes of the final product contain many <no-data> values. When I load the image to qgis, and tabing to histogram page, the resulting histogram is unsualble due the large amount of chaff. Picture attached.



http://dl.dropbox.com/u/2464313/2000_n_combined.tif

History

#1 - 2012-07-11 08:54 AM - Nikos Ves

I also attach a dropbob link for the source image I used.

#2 - 2012-07-12 12:28 AM - Giovanni Manghi

- Status changed from Open to Feedback
- Category set to Rasters

isn't this a duplicate of #1380 ? If yes, please close this ticket as duplicate.

#3 - 2012-07-12 07:35 AM - Nikos Ves

seems to be the same

#4 - 2012-07-15 02:21 PM - Giovanni Manghi

- Resolution set to duplicate
- Status changed from Feedback to Closed

Nikos Ves wrote:

seems to be the same

duplicate of #1380

Files

broken-hist.JPG	71.9 KB	2012-07-11	Nikos Ves
-----------------	---------	------------	-----------